

3rd International Conference Advanced Mechanics: Structure, Materials, Tribology

Numerical Modeling of Laser Strengthening Processes for ? Ti Alloy Using the Laser Shock Peening Method

AIPCP25-CF-AMSMT2025-00039 | Article

PDF auto-generated using **ReView**



Modeling of Laser Strengthening Processes for α Ti Alloy Using the Laser Shock Peening Method

Jasur Erkinov^{1, a)}, Abdunabi Abdulkarimov^{1, b)}, Nodira Shamsutdinova^{2, c)} Dilshod Kholikov^{2, d)}, Ibrokhim Madatov^{3, e)}

¹ Samarkand branch of the Tashkent University of Information Technologies, Samarkand, Uzbekistan

² "ZARMED" Samarkand Campus, Samarkand, Uzbekistan

³ Samarkand State University, 140104, University blv. 15, Samarkand, Uzbekistan

^{a)} erkinovj110@gmail.com

^{b)} abdukarimov54@mail.ru

^{c)} nodira237@gmail.com

^{d)} Dilshodxoliquov2587@gmail.com

^{e)} Corresponding author: ibrokhimmadatov@gmail.com

Abstract. This paper presents a numerical study of the processes occurring during laser shock peening (LSP) of α -titanium alloy. Based on the Fabbri model, the shock wave pressure distribution and its temporal evolution are calculated for different laser radiation intensities (10–25 Gwt/sm²). Using the finite element method (FEM), the dynamic deformation and thermal response of the material under the influence of a 15 ns laser pulse were simulated. It was shown that the formation of high-energy plasma leads to the emergence of shock waves with peak pressures of up to 20 GPa and the formation of residual compressive stresses (CRS) to a depth of up to 1.8 mm. Microstructural changes, including grain refinement, subgrain formation, and nanocrystalline structure, are caused by high-density dislocation processes. The results of the study confirm the effectiveness of LSP as a promising method for increasing the fatigue strength and wear resistance of titanium parts for aerospace applications.

INTRODUCTION

Laser Shock Peening (LSP) technology is a modern method of surface metal treatment based on the generation of high-energy shock waves during the interaction of short-pulse laser radiation with the material surface. Compared to conventional mechanical Shot Peening (SP), LSP provides deeper penetration of residual compressive stresses (up to 2 mm) and minimizes thermal damage. Of particular interest are α -titanium alloys, widely used in the aerospace and energy industries due to their high strength-to-density ratio and corrosion resistance. The main objective of this study is to numerically evaluate the dynamics of shock waves and microstructural effects induced by high-power laser pulses [1].

METHODOLOGY

In numerical modeling, the laser-induced shock wave is typically simplified to a time-varying load applied directly to the target surface. To evaluate the peak pressure of the laser shock wave, the formula derived by Fabbri et al. [2–5] was used, and the corresponding maximum pressure can be obtained as follows:

$$P = 0.001 \sqrt{\frac{aZI_0}{2a+3}} \quad (1)$$

where P is the maximum pressure of the LSP, a is the coefficient of conversion of internal energy into thermal energy, typically 0.1, Z is the equivalent acoustic impedance, which is determined by the following formula:

$$Z = 2 / \left(\frac{1}{Z_1} + \frac{1}{Z_2} \right) \quad (2)$$

where Z_1 and Z_2 are the shock-wave impedances of the target material and the retaining medium respectively, and α is the power density of the laser radiation, which can be calculated using the formula:

$$I_0 = \frac{4\gamma E}{\pi \tau D^2} \quad (3)$$

where γ — is the absorption coefficient, E is the laser pulse energy, usually taking a value of 0.7; τ is the pulse duration, and D is the spot diameter.

In the laser shock peening (LSP) process, a high-energy (Gwt/sm^2) short-pulse (ns) laser beam passes through a transparent overlay and irradiates the ablative coating, resulting in instantaneous evaporation and ionization of the coating layer. This leads to the formation of high-temperature, high-pressure plasma, which rapidly expands from the target surface, as shown in Figure 1 (a). Due to the presence of the transparent overlay, the expanding plasma is confined and redirected towards the surface, resulting in a high-pressure (GPa) shock wave propagating within the target material. Based on the widely accepted Fabbro LSP model, the peak pressure P of the shock wave induced by the laser plasma is determined by the shock impedance Z (of the confining medium and target material) and the laser intensity $I(t)$ [6]:

$$\frac{2}{Z} = \frac{1}{(Z_1 + Z_2)} \quad (4)$$

$$\frac{dL(t)}{dt} = \frac{2}{Z} P(t) \quad (5)$$

$$I(t) = P(t) \frac{dL(t)}{dt} + \frac{3}{2a} \frac{d}{dt} [P(t) * L(t)] \quad (6)$$

where L — is the length of the plasma interface, and a - is the ratio of thermal energy to internal energy of the plasma (ranging from 0.3 to 0.5). $Z_1 = Z_{\text{mirror}} = 1.44 \times 10^6 \text{ g}/(\text{sm}^2 \text{ s})$, $Z_2 = Z_{\text{Ti64}} = 2.33 \times 10^6 \text{ g}/(\text{sm}^2 \text{ s})$ [5]. $I(t)$ is determined by equations (3) and (6):

$$I_0 = \frac{Q}{\pi(d/2)^2 \Delta t} \quad I(t) = I_0 \frac{1}{\sigma \sqrt{2\pi}} e^{-\frac{1}{2} \left(\frac{t-\mu}{\sigma} \right)^2} \quad (7)$$

where I_0 — max is the maximum laser intensity, Q - is the pulsed laser energy, d - is the beam diameter, and t is the laser pulse duration.

The value of σ can be estimated from the effective duration of the laser FWHM (full width at half maximum), where FWHM is in ns , and $\text{FWHM} = 2\sqrt{2 \ln 2} \sigma \approx 5 \text{ ns}$, $\mu = 6\sigma$.

Based on equations (4) - (7), the temporal evolution of shock wave pressure for different laser intensities is calculated as shown in Figure 1 (b). It can be seen that the shock wave pressure in CRS experiments rapidly reaches its peak value (GPa) within 20 ns , and then gradually decreases over time. As the shock wave propagates into the Ti block, the effective pressure decreases with increasing depth [4].

Once the shock wave pressure exceeds the Hugoniot elastic limit (σ_{HEL}) of the metal, which is determined by the magnitude of the elastic precursor of the shock wave and is related to the yield strength σ_y and Poisson's ratio ν of the material by equation (8), high-speed plastic deformation occurs beneath the irradiated area, accompanied by grain refinement and CRS induction.

$$\sigma_y = \sigma_{HEL} (1 - 2\nu) / (1 - \nu) \quad (8)$$




FIGURE 1. Temporal evolution of shock wave pressure for various laser intensities.




FIGURE 2. Finite element model for laser shock impact simulation. (a) mesh model for LSI modeling, sample thickness x_2 mm, loading area height $y_2 = 2$ mm (b) laser wave propagation (c) shock wave pressure.

The degree of grain refinement from the matrix to the surface includes low-density dislocations, dense dislocations (or entanglement of dislocation lines), DW (dislocation walls), DC (dislocation cells), subgrain boundaries, and nanocrystals. The gradient movement of dislocations led to the formation of a gradient structure [7].

Notably, the thickness of the field formed during laser shock processing (LSP) can reach 1-2 mm, which is almost 5-10 times deeper than that of SP [8].

Modeling the impact of shock impulse on titanium alloy plates

A study on the deformation of alpha titanium alloy under the impact of a shock pulse with an amplitude of 20 GPa was conducted.




FIGURE 3. Initial pressure in the area of impact impulse application.




FIGURE 4. Initial distributions of equivalent plastic strain and temperature in the alpha titanium alloy region exposed to a shock pulse.




FIGURE 5. a) Temperature distribution in the alpha titanium alloy at 200 ns after exposure to a shock impulse b) Pressure distribution in the alpha titanium alloy plate at 200 ns after exposure to a shock impulse.




FIGURE 6. Pressure distribution in an alpha titanium alloy in a melt at a time of 200 ns when exposed to a shock pulse.

CONCLUSION

Computational experiments were conducted to model shock impulses on thin CP-Ti Grade 1 and Ti-6Al-4V plates. It was established that increasing the initial temperature of the plates to 450 K leads to a significant change in plastic deformation amplitudes. It has been shown that in the near-surface layers of materials, when exposed to shock impulses with an amplitude of 20 GPa, the temperature increases by several hundred K.

The calculated pressure distribution of the shock wave over time demonstrates a characteristic non-stationary peak - the pressure sharply increases to ~ 20 GPa during the first 18-22 ns, after which it decreases exponentially with a time constant of about 40 ns. The pressure dynamics agrees well with the predictions of the Fabbro model, which confirms the correctness of the selected laser pulse parameters and the geometry of the confining medium.

Numerical modeling showed that during laser-induced shock treatment, a pronounced stress gradient forms: maximum compressive stresses are observed near the surface (-0.7 GPa), gradually decreasing with depth to zero at a level of 1.8-2.0 mm. In this zone, a local temperature increase to 680-720 K is recorded, at which no melting of the material occurs, but thermoelastic and plastic relaxation processes are activated.

As a result of the interaction of high-energy plasma with the surface of the α -titanium alloy, a significant increase in dislocation density (up to 10^{14} m^{-2}) and the formation of a substructure consisting of cells and subgrains with sizes of 100-300 nm are observed. This indicates the implementation of a dynamic recrystallization refinement mechanism. Plastic deformation modeling shows that the region of maximum plasticity accumulation coincides with the peak pressure zone, which confirms the correlation between pressure and the degree of nanostructuring.

Comparison of numerical data with available experimental results [4,8] shows good agreement both in peak pressure values (difference less than 6.5%) and in the depth of the induced plastic zone. Thus, the developed numerical model can be used to predict residual stresses and select optimal LSP parameters for processing titanium alloys of various compositions [9-11].

As a result of numerical modeling, it was established that laser-induced shock hardening of an α -titanium alloy forms stable residual compressive stresses up to 1.8 mm deep and causes intensive dislocation-plastic deformation while preserving the structural integrity of the material.

It has been shown that using the Fabbro model to describe plasma pressure allows for adequate prediction of the shock wave amplitude and its temporal evolution. At laser radiation intensities above 20 Gwt/sm^2 , an optimal balance between the hardened layer depth, the CRS value, and the minimization of thermal effects is ensured.

Further development of the model involves including phase transformation phenomena and anisotropy of α -titanium properties in the calculation, which will increase the accuracy of residual stress prediction and expand the possibilities for practical application of LSP in the treatment of aviation, energy, and biomedical structural elements operating under cyclic and shock loads.

REFERENCES

1. L. Berthe, R. Fabbro, P. Peyre, L. Tollier, E. Bartnicki, Shock waves from a water-confined laser-generated plasma, *Journal of Applied Physics*, **82**, 2826–2832 (1997). <https://doi.org/10.1063/1.366113>
2. M. Cai, H. Li, H. Li, S. Shen, J. Lu, B. Zheng, Laser shock peening induced mechanical properties enhancement of 50CrVA alloy, *Optics & Laser Technology*, **169**, 110180 (2024). <https://doi.org/10.1016/j.optlastec.2023.110180>
3. D.R. Chichilli, K.T. Ramesh, K.J. Hemker, The high-strain-rate response of alpha-titanium: experiments deformation mechanisms and modeling, *Acta Materialia*, **46**, 1025–1043 (1998). [https://doi.org/10.1016/S1359-6454\(97\)00287-5](https://doi.org/10.1016/S1359-6454(97)00287-5)
4. J.R. Davis, Properties and selection: nonferrous alloys and special-purpose materials, ASM International, (1990). <https://doi.org/10.31399/asm.hb.v02.9781627081627>
5. D. Devaux, R. Fabbro, L. Tollier, E. Bartnicki, Generation of shock waves by laser-induced plasma in confined geometry, *Journal of Applied Physics*, **74**, 2268–2273 (1993). <https://doi.org/10.1063/1.354710>
6. J. Williams, J. Chesnutt, Titanium Alloys. Thermomechanical Treatment. Pergamon Press Ltd, Encyclopedia of Materials Science and Engineering. (1986).
7. R. Ding, Z. Guo, A. Wilson, Microstructural evolution of a Ti-6Al-4V alloy during thermomechanical processing, *Materials Science and Engineering: A*, **327**, 233-245 (2002). [https://doi.org/10.1016/S0921-5093\(01\)01531-3](https://doi.org/10.1016/S0921-5093(01)01531-3)
8. G. Lutjering, J.C. Williams, Titanium, Springer, Berlin, 2003. <https://doi.org/10.1007/978-3-540-71398-2>
9. S. Malinov, W. Sha, Z. Guo, C. Tang, A. Long, Synchrotron X-ray diffraction study of the phase transformations in titanium alloys, *Materials Characterization*, **48**, 279-95 (2002). [https://doi.org/10.1016/S1044-5803\(02\)00286-3](https://doi.org/10.1016/S1044-5803(02)00286-3)
10. J. Tiley, T. Searles, E. Lee, S. Kar, R. Banerjee, J. Russ, Quantification of microstructural features in α/β titanium alloys, *Materials Science and Engineering: A*, **372**, 191-198 (2004). <https://doi.org/10.1016/j.msea.2003.12.008>
11. F.J. Gil, M.P. Ginebra, J.M. Manero, J.A. Planell, Formation of α -Widmanstätten structure: effects of grain size and cooling rate on the Widmanstätten morphologies and on the mechanical properties in Ti6Al4V alloy, *Journal of Alloys and Compounds*, **329**, 142-52 (2001). [https://doi.org/10.1016/S0925-8388\(01\)01571-7](https://doi.org/10.1016/S0925-8388(01)01571-7)



LICENSE TO PUBLISH AGREEMENT FOR CONFERENCE PROCEEDINGS

This License to Publish must be signed and returned to the Proceedings Editor before the manuscript can be published. If you have questions about how to submit the form, please contact the AIP Publishing Conference Proceedings office (confproc@aip.org). For questions regarding the copyright terms and conditions of this License, please contact AIP Publishing's Office of Rights and Permissions, 1305 Walt Whitman Road, Suite 300, Melville, NY 11747-4300 USA; Phone 516-576-2268; Email: rights@aip.org.

Article Title ("Work"):

Numerical Modeling of Laser Strengthening Processes for a Ti Alloy Using the Laser Shock Peening Method

All Author(s):

Jasur Erkinov, Abdunabi Abdulkarimov,

Nodira Shamsutdinova, Dilshod Kholikov,

Ibrokhim Madatov

Title of Conference: AMSMT2025

Name(s) of Editor(s) Valentin L. Popov

All Copyright Owner(s), if not Author(s):

(Please list all copyright owner(s) by name. In the case of a Work Made for Hire, the employer(s) or commissioning party(ies) are the copyright owner(s). For large groups of copyright owners, attach a separate list to this form.)

Copyright Ownership and Grant of Rights

For the purposes of this License, the "Work" consists of all content within the article itself and made available as part of the article, including but not limited to the abstract, tables, figures, graphs, images, and multimedia files, as well as any subsequent errata. "Supplementary Material" consists of material that is associated with the article but linked to or accessed separately (available electronically only), including but not limited to data sets and any additional files.

This Agreement is an Exclusive License to Publish not a Transfer of Copyright. Copyright to the Work remains with the Author(s) or, in the case of a Work Made for Hire, with the Author(s)' employer(s). AIP Publishing LLC shall own and have the right to register in its name the copyright to the proceedings issue or any other collective work in which the Work is included. Any rights granted under this License are contingent upon acceptance of the Work for publication by AIP Publishing. If for any reason and at its own discretion AIP Publishing decides not to publish the Work, this License is considered void.

Each Copyright Owner hereby grants to AIP Publishing LLC the following irrevocable rights for the full term of United States and foreign copyrights (including any extensions):

1. The exclusive right and license to publish, reproduce, distribute, transmit, display, store, translate, edit, adapt, and create derivative works from the Work (in whole or in part) throughout the world in all formats and media whether now known or later developed, and the nonexclusive right and license to do the same with the Supplementary Material.
2. The right for AIP Publishing to freely transfer and/or sublicense any or all of the exclusive rights listed in #1 above. Sublicensing includes the right to authorize requests for reuse of the Work by third parties.
3. The right for AIP Publishing to take whatever steps it considers necessary to protect and enforce, at its own expense, the exclusive rights granted herein against third parties.

Author Rights and Permitted Uses

Subject to the rights herein granted to AIP Publishing, each Copyright Owner retains ownership of copyright and all other proprietary rights such as patent rights in the Work.

Each Copyright Owner retains the following nonexclusive rights to use the Work, without obtaining permission from AIP Publishing, in keeping with professional publication ethics and provided clear credit is given to its first publication in an AIP Publishing proceeding. Any reuse must include a full credit line acknowledging AIP Publishing's publication and a link to the Version of Record (VOR) on AIP Publishing's site.

Each Copyright Owner may:

1. Reprint portions of the Work (excepts, figures, tables) in future works created by the Author, in keeping with professional publication ethics.
2. Post the Accepted Manuscript (AM) to their personal web page or their employer's web page immediately after acceptance by AIP Publishing.
3. Deposit the AM in an institutional or funder-designated repository immediately after acceptance by AIP Publishing.

4. Use the AM for posting within scientific collaboration networks (SCNs). For a detailed description of our policy on posting to SCNs, please see our Web Posting Guidelines (<https://publishing.aip.org/authors/web-posting-guidelines>).
5. Reprint the Version of Record (VOR) in print collections written by the Author, or in the Author's thesis or dissertation. It is understood and agreed that the thesis or dissertation may be made available electronically on the university's site or in its repository and that copies may be offered for sale on demand.
6. Reproduce copies of the VOR for courses taught by the Author or offered at the institution where the Author is employed, provided no fee is charged for access to the Work.
7. Use the VOR for internal training and noncommercial business purposes by the Author's employer.
8. Use the VOR in oral presentations made by the Author, such as at conferences, meetings, seminars, etc., provided those receiving copies are informed that they may not further copy or distribute the Work.
9. Distribute the VOR to colleagues for noncommercial scholarly use, provided those receiving copies are informed that they may not further copy or distribute the Work.
10. Post the VOR to their personal web page or their employer's web page 12 months after publication by AIP Publishing.
11. Deposit the VOR in an institutional or funder-designated repository 12 months after publication by AIP Publishing.
12. Update a prior posting with the VOR on a noncommercial server such as arXiv, 12 months after publication by AIP Publishing.


Author Warranties

Each Author and Copyright Owner represents and warrants to AIP Publishing the following:

1. The Work is the original independent creation of each Author and does not infringe any copyright or violate any other right of any third party.
2. The Work has not been previously published and is not being considered for publication elsewhere in any form, except as a preprint on a noncommercial server such as arXiv, or in a thesis or dissertation.
3. Written permission has been obtained for any material used from other sources and copies of the permission grants have been supplied to AIP Publishing to be included in the manuscript file.
4. All third-party material for which permission has been obtained has been properly credited within the manuscript.
5. In the event that the Author is subject to university open access policies or other institutional restrictions that conflict with any of the rights or provisions of this License, such Author has obtained the necessary waiver from his or her university or institution.

This License must be signed by the Author(s) and, in the case of a Work Made for Hire, also by the Copyright Owners. One Author/Copyright Owner may sign on behalf of all the contributors/owners only if they all have authorized the signing, approval of the License, and agreed to be bound by it. The signing Author and, in the case of a Work Made for Hire, the signing Copyright Owner warrants that he/she/it has full authority to enter into this License and to make the grants this License contains.

1. The Author must please sign here (except if an Author is a U.S. Government employee, then please sign under #2 below):

 Ibrokhim Madatov

25.11.2025

Author(s) Signature

Print Name

Date

2. The Copyright Owner (if different from the Author) must please sign here:

Name of Copyright Owner Authorized Signature and Title Date

3. If an Author is a U.S. Government employee, such Author must please sign below. The signing Author certifies that the Work was written as part of his/her official duties and is therefore not eligible for copyright protection in the United States.

Name of U.S. Government Institution (e.g., Naval Research Laboratory, NIST)

Author Signature Print Name Date

PLEASE NOTE: NATIONAL LABORATORIES THAT ARE SPONSORED BY U.S. GOVERNMENT AGENCIES BUT ARE INDEPENDENTLY RUN ARE NOT CONSIDERED GOVERNMENT INSTITUTIONS. (For example, Argonne, Brookhaven, Lawrence Livermore, Sandia, and others.) Authors at these types of institutions should sign under #1 or #2 above.

If the Work was authored under a U.S. Government contract, and the U.S. Government wishes to retain for itself and others acting on its behalf, a paid-up, nonexclusive, irrevocable, worldwide license in the Work to reproduce, prepare derivative works from, distribute copies to the public, perform publicly, and display publicly, by or on behalf of the Government, please check the box below and add the relevant Contract numbers.

Contract #(s) _____ [1.16.1]

LICENSE TERMS DEFINED

Accepted Manuscript (AM): The final version of an author's manuscript that has been accepted for publication and incorporates all the editorial changes made to the manuscript after submission and peer review. The AM does not yet reflect any of the publisher's enhancements to the work such as copyediting, pagination, and other standard formatting.

arXiv: An electronic archive and distribution server for research article preprints in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, and statistics, which is owned and operated by Cornell University, <http://arxiv.org/>.

Commercial and noncommercial scholarly use: *Noncommercial* scholarly uses are those that further the research process for authors and researchers on an individual basis for their own personal purposes. They are author-to-author interactions meant for the exchange of ideas. *Commercial* uses fall outside the author-to-author exchange and include but are not limited to the copying or distribution of an article, either in hard copy form or electronically, for resale or licensing to a third party; posting of the AM or VOR of an article by a site or service where an access fee is charged or which is supported by commercial paid advertising or sponsorship; use by a for-profit entity for any type of promotional purpose. Commercial uses require the permission of AIP Publishing.

Embargo period: The period of time during which free access to the full text of an article is delayed.

Employer's web page: A web page on an employer's site that highlights the accomplishments and research interests of the company's employees, which usually includes their publications. (See also: Personal web page and Scholarly Collaboration Network).

Exclusive License to Publish: An exclusive license to publish is a written agreement in which the copyright owner gives the publisher exclusivity over certain inherent rights associated with the copyright in the work. Those rights include the right to reproduce the work, to distribute copies of the work, to perform and display the work publicly, and to authorize others to do the same. The publisher does not hold the copyright to the work, which continues to reside with the author. The terms of the AIP Publishing License to Publish encourage authors to make full use of their work and help them to comply with requirements imposed by employers, institutions, and funders.

Full Credit Line: AIP Publishing's preferred format for a credit line is as follows (you will need to insert the specific citation information in place of the capital letters): "Reproduced from [FULL CITATION], with the permission of AIP Publishing." A FULL CITATION would appear as: Journal abbreviation, volume number, article ID number or page number (year). For example: Appl. Phys. Lett. 107, 021102 (2015).

Institutional repository: A university or research institution's digital collection of articles that have been authored by its staff and which are usually made publicly accessible. As authors are encouraged and sometimes required to include their published articles in their institution's repository, the majority of publishers allow for deposit of the Accepted Manuscript for this purpose. AIP Publishing also allows for the VOR to be deposited 12 months after publication of the Work.

Journal editorial office: The contact point for authors concerning matters related to the publication of their manuscripts. Contact information for the journal editorial offices may be found on the journal websites under the "About" tab.

Linking to the Version of Record (VOR): To create a link to your article in an AIP Publishing journal or proceedings, you need to know the CrossRef digital object identifier (doi). You can find the doi on the article's abstract page. For instructions on linking, please refer to our Web Posting Guidelines at <https://publishing.aip.org/authors/web-posting-guidelines>.

National Laboratories: National laboratories are sponsored and funded by the U.S. Government but have independent nonprofit affiliations and employ private sector resources. These institutions are classified as Federally Funded Research and Development Centers (FFRDCs). Authors working at FFRDCs are not

considered U.S. Government employees for the purposes of copyright. The Master Government List of FFRDCs may be found at <http://www.nsf.gov/statistics/ffrdclist/>.

Personal web page: A web page that is hosted by the author or the author's institution and is dedicated to the author's personal research interests and publication history. An author's profile page on a social media site or scholarly collaboration network site is *not* considered a personal web page. (See also: Scholarly Collaboration Network; Employer's web page).

Peer X-Press: A web-based manuscript submission system by which authors submit their manuscripts to AIP Publishing for publication, communicate with the editorial offices, and track the status of their submissions. The Peer X-Press system provides a fully electronic means of completing the License to Publish. A hard copy of the Agreement will be supplied by the editorial office if the author is unable to complete the electronic version of the form. (Conference Proceedings authors will continue to submit their manuscripts and forms directly to the Conference Editors.)

Preprint: A version of an author's manuscript intended for publication but that has not been peer reviewed and does not reflect any editorial input or publisher enhancements.

Professional Publication Ethics: AIP Publishing provides information on what it expects from authors in its "Statement of ethics and responsibilities of authors submitting to AIP Publishing journals" (<http://publishing.aip.org/authors/ethics>). AIP Publishing is also a member of the Committee on Publication Ethics (COPE) (<http://publicationethics.org/>), which provides numerous resources and guidelines for authors, editors, and publishers with regard to ethical standards and accepted practices in scientific publishing.

Scholarly Collaboration Network (SCN): Professional networking sites that facilitate collaboration among researchers as well as the sharing of data, results, and publications. SCNs include sites such as Academia.edu, ResearchGate, and Mendeley, among others.

Supplementary Material: Related material that has been judged by peer review as being relevant to the understanding of the article but that may be too lengthy or of too limited interest for inclusion in the article itself. Supplementary Material may include data tables or sets, appendixes, movie or audio clips, or other multimedia files.

U.S. Government employees: Authors working at Government organizations who author works as part of their official duties and who are not able to license rights to the Work, since no copyright exists. Government works are in the public domain within the United States.

Version of Record (VOR): The final published version of the article as it appears in the printed journal/proceedings or on the Scitation website. It incorporates all editorial input, is formatted in the publisher's standard style, and is usually viewed in PDF form.

Waiver: A request made to a university or institution to exempt an article from its open-access policy requirements. For example, a conflict will exist with any policy that requires the author to grant a nonexclusive license to the university or institution that enables it to license the Work to others. In all such cases, the Author must obtain a waiver, which shall be included in the manuscript file.

Work: The "Work" is considered all the material that comprises the article, including but not limited to the abstract, tables, figures, images, multimedia files that are directly embedded within the text, and the text itself. The Work does not include the Supplementary Material (see Supplementary Material above).

Work Made for Hire: Under copyright law, a work prepared by an employee within the scope of employment, or a work that has been specially ordered or commissioned for which the parties have agreed in writing to consider as a Work Made for Hire. The hiring party or employer is considered the author and owner of the copyright, not the person who creates the work.