


3rd International Conference Advanced Mechanics: Structure, Materials, Tribology

Application of Spectral Element Method for Solving Problems of Geomechanics and Soil Mechanics in Cae Fidesys

AIPCP25-CF-AMSMT2025-00005 | Article

PDF auto-generated using **ReView**





LICENSE TO PUBLISH AGREEMENT FOR CONFERENCE PROCEEDINGS

This License to Publish must be signed and returned to the Proceedings Editor before the manuscript can be published. If you have questions about how to submit the form, please contact the AIP Publishing Conference Proceedings office (confproc@aip.org). For questions regarding the copyright terms and conditions of this License, please contact AIP Publishing's Office of Rights and Permissions, 1305 Walt Whitman Road, Suite 300, Melville, NY 11747-4300 USA, Phone 516-576-2268; Email: rights@aip.org.

Article Title ("Work"):
Application of Spectral Element Method For Solving Problems of Geomechanics and Soil Mechanics in CAE Design

(Please indicate the final title of the Work. Any substantive changes made to the title after acceptance of the Work may require the completion of a new agreement.)

All Author(s):
*Anatoly Vershinin, Michael Cirtsev,
 Victor Koslev, Vladimir Levin*

(Please list all the authors' names in order as they will appear in the Work. All listed authors must be fully deserving of authorship and no such authors should be omitted. For large groups of authors, attach a separate list to this form.)

Title of Conference: *AMSM 2025 in Saratov and*

Name(s) of Editor(s) *Valentin Popov*

All Copyright Owner(s), if not Author(s):

(Please list all copyright owner(s) by name. In the case of a Work Made for Hire, the employer(s) or commissioning party(ies) are the copyright owner(s). For large groups of copyright owners, attach a separate list to this form.)

Copyright Ownership and Grant of Rights

For the purposes of this License, the "Work" consists of all content within the article itself and made available as part of the article, including but not limited to the abstract, tables, figures, graphs, images, and multimedia files, as well as any subsequent errata. "Supplementary Material" consists of material that is associated with the article but linked to or accessed separately (available electronically only), including but not limited to data sets and any additional files.

This Agreement is an Exclusive License to Publish not a Transfer of Copyright. Copyright to the Work remains with the Author(s) or, in the case of a Work Made for Hire, with the Author(s)' employer(s). AIP Publishing LLC shall own and have the right to register in its name the copyright to the proceedings issue or any other collective work in which the Work is included. Any rights granted under this License are contingent upon acceptance of the Work for publication by AIP Publishing. If for any reason and at its own discretion AIP Publishing decides not to publish the Work, this License is considered void.

Each Copyright Owner hereby grants to AIP Publishing LLC the following irrevocable rights for the full term of United States and foreign copyrights (including any extensions):

1. The exclusive right and license to publish, reproduce, distribute, transmit, display, store, translate, edit, adapt, and create derivative works from the Work (in whole or in part) throughout the world in all formats and media whether now known or later developed, and the nonexclusive right and license to do the same with the Supplementary Material.
2. The right for AIP Publishing to freely transfer and/or sublicense any or all of the exclusive rights listed in #1 above. Sublicensing includes the right to authorize requests for reuse of the Work by third parties.
3. The right for AIP Publishing to take whatever steps it considers necessary to protect and enforce, at its own expense, the exclusive rights granted herein against third parties.

Author Rights and Permitted Uses

Subject to the rights herein granted to AIP Publishing, each Copyright Owner retains ownership of copyright and all other proprietary rights such as patent rights in the Work.

Each Copyright Owner retains the following nonexclusive rights to use the Work, without obtaining permission from AIP Publishing, in keeping with professional publication ethics and provided clear credit is given to its first publication in an AIP Publishing proceeding. Any reuse must include a full credit line acknowledging AIP Publishing's publication and a link to the Version of Record (VOR) on AIP Publishing's site.

Each Copyright Owner may:

1. Reprint portions of the Work (excerpts, figures, tables) in future works created by the Author, in keeping with professional publication ethics.
2. Post the Accepted Manuscript (AM) to their personal web page or their employer's web page immediately after acceptance by AIP Publishing.
3. Deposit the AM in an institutional or funder-designated repository immediately after acceptance by AIP Publishing.

4. Use the AM for posting within scientific collaboration networks (SCNs). For a detailed description of our policy on posting to SCNs, please see our Web Posting Guidelines (<https://publishing.aip.org/authors/web-posting-guidelines>).
5. Reprint the Version of Record (VOR) in print collections written by the Author, or in the Author's thesis or dissertation. It is understood and agreed that the thesis or dissertation may be made available electronically on the university's site or in its repository and that copies may be offered for sale on demand.
6. Reproduce copies of the VOR for courses taught by the Author or offered at the institution where the Author is employed, provided no fee is charged for access to the Work.
7. Use the VOR for internal training and noncommercial business purposes by the Author's employer.
8. Use the VOR in oral presentations made by the Author, such as at conferences, meetings, seminars, etc., provided those receiving copies are informed that they may not further copy or distribute the Work.
9. Distribute the VOR to colleagues for noncommercial scholarly use, provided those receiving copies are informed that they may not further copy or distribute the Work.
10. Post the VOR to their personal web page or their employer's web page 12 months after publication by AIP Publishing.
11. Deposit the VOR in an institutional or funder-designated repository 12 months after publication by AIP Publishing.
12. Update a prior posting with the VOR on a noncommercial server such as arXiv, 12 months after publication by AIP Publishing.

Author Warranties

Each Author and Copyright Owner represents and warrants to AIP Publishing the following:

1. The Work is the original independent creation of each Author and does not infringe any copyright or violate any other right of any third party.
2. The Work has not been previously published and is not being considered for publication elsewhere in any form, except as a preprint on a noncommercial server such as arXiv, or in a thesis or dissertation.
3. Written permission has been obtained for any material used from other sources and copies of the permission grants have been supplied to AIP Publishing to be included in the manuscript file.
4. All third-party material for which permission has been obtained has been properly credited within the manuscript.
5. In the event that the Author is subject to university open access policies or other institutional restrictions that conflict with any of the rights or provisions of this License, such Author has obtained the necessary waiver from his or her university or institution.

This License must be signed by the Author(s) and, in the case of a Work Made for Hire, also by the Copyright Owners. One Author/Copyright Owner may sign on behalf of all the contributors/owners only if they all have authorized the signing, approval of the License, and agreed to be bound by it. The signing Author and, in the case of a Work Made for Hire, the signing Copyright Owner warrants that he/she/it has full authority to enter into this License and to make the grants this License contains.

1. The Author must please sign here (except if an Author is a U.S. Government employee, then please sign under #3 below):

ANATOLY VERSHININ 11-21-2025
 Author(s) Signature Print Name Date

2. The Copyright Owner (if different from the Author) must please sign here:

Name of Copyright Owner Authorized Signature and Title Date

3. If an Author is a U.S. Government employee, such Author must please sign below. The signing Author certifies that the Work was written as part of his/her official duties and is therefore not eligible for copyright protection in the United States.

Name of U.S. Government Institution (e.g., Naval Research Laboratory, NIST)

Author Signature Print Name Date

PLEASE NOTE: NATIONAL LABORATORIES THAT ARE SPONSORED BY U.S. GOVERNMENT AGENCIES BUT ARE INDEPENDENTLY RUN ARE NOT CONSIDERED GOVERNMENT INSTITUTIONS. (For example, Argonne, Brookhaven, Lawrence Livermore, Sandia, and others.) Authors at these types of institutions should sign under #1 or #2 above.

If the Work was authored under a U.S. Government contract and the U.S. Government wishes to retain for itself and others acting on its behalf, a paid-up, nonexclusive, irrevocable, worldwide license in the Work to reproduce, prepare derivative works from, distribute copies to the public, perform publicly, and display publicly, by or on behalf of the Government, please check the box below and add the relevant Contract numbers.

Contract #(s) [1.18.1]

LICENSE TERMS DEFINED

Accepted Manuscript (AM): The final version of an author's manuscript that has been accepted for publication and incorporates all the editorial changes made to the manuscript after submission and peer review. The AM does not yet reflect any of the publisher's enhancements to the work such as copyediting, pagination, and other standard formatting.

arXiv: An electronic archive and distribution server for research article preprints in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, and statistics, which is owned and operated by Cornell University, <http://arxiv.org/>.

Commercial and noncommercial scholarly use: *Noncommercial* scholarly uses are those that further the research process for authors and researchers on an individual basis for their own personal purposes. They are author-to-author interactions meant for the exchange of ideas. *Commercial* uses fall outside the author-to-author exchange and include but are not limited to the copying or distribution of an article, either in hard copy form or electronically, for resale or licensing to a third party; posting of the AM or VOR of an article by a site or service where an access fee is charged or which is supported by commercial paid advertising or sponsorship; use by a for-profit entity for any type of promotional purpose. Commercial uses require the permission of AIP Publishing.

Embargo period: The period of time during which free access to the full text of an article is delayed.

Employer's web page: A web page on an employer's site that highlights the accomplishments and research interests of the company's employees, which usually includes their publications. (See also: Personal web page and Scholarly Collaboration Network).

Exclusive License to Publish: An exclusive license to publish is a written agreement in which the copyright owner gives the publisher exclusivity over certain inherent rights associated with the copyright in the work. Those rights include the right to reproduce the work, to distribute copies of the work, to perform and display the work publicly, and to authorize others to do the same. The publisher does not hold the copyright to the work, which continues to reside with the author. The terms of the AIP Publishing License to Publish encourage authors to make full use of their work and help them to comply with requirements imposed by employers, institutions, and funders.

Full Credit Line: AIP Publishing's preferred format for a credit line is as follows (you will need to insert the specific citation information in place of the capital letters): "Reproduced from [FULL CITATION], with the permission of AIP Publishing." A FULL CITATION would appear as: Journal abbreviation, volume number, article ID number or page number (year). For example: Appl. Phys. Lett. 107, 021102 (2015).

Institutional repository: A university or research institution's digital collection of articles that have been authored by its staff and which are usually made publicly accessible. As authors are encouraged and sometimes required to include their published articles in their institution's repository, the majority of publishers allow for deposit of the Accepted Manuscript for this purpose. AIP Publishing also allows for the VOR to be deposited 12 months after publication of the Work.

Journal editorial office: The contact point for authors concerning matters related to the publication of their manuscripts. Contact information for the journal editorial offices may be found on the journal websites under the "About" tab.

Linking to the Version of Record (VOR): To create a link to your article in an AIP Publishing journal or proceedings, you need to know the CrossRef digital object identifier (doi). You can find the doi on the article's abstract page. For instructions on linking, please refer to our Web Posting Guidelines at <https://publishing.aip.org/authors/web-posting-guidelines>.

National Laboratories: National laboratories are sponsored and funded by the U.S. Government but have independent nonprofit affiliations and employ private sector resources. These institutions are classified as Federally Funded Research and Development Centers (FFRDCs). Authors working at FFRDCs are not

considered U.S. Government employees for the purposes of copyright. The Master Government List of FFRDCs may be found at <http://www.nsf.gov/statistics/ffrdclst/>.

Personal web page: A web page that is hosted by the author or the author's institution and is dedicated to the author's personal research interests and publication history. An author's profile page on a social media site or scholarly collaboration network site is *not* considered a personal web page. (See also: Scholarly Collaboration Network; Employer's web page).

Peer X-Press: A web-based manuscript submission system by which authors submit their manuscripts to AIP Publishing for publication, communicate with the editorial offices, and track the status of their submissions. The Peer X-Press system provides a fully electronic means of completing the License to Publish. A hard copy of the Agreement will be supplied by the editorial office if the author is unable to complete the electronic version of the form. (Conference Proceedings authors will continue to submit their manuscripts and forms directly to the Conference Editors.)

Preprint: A version of an author's manuscript intended for publication but that has not been peer reviewed and does not reflect any editorial input or publisher enhancements.

Professional Publication Ethics: AIP Publishing provides information on what it expects from authors in its "Statement of ethics and responsibilities of authors submitting to AIP Publishing journals" (<http://publishing.aip.org/authors/ethics>). AIP Publishing is also a member of the Committee on Publication Ethics (COPE) (<http://publicationethics.org/>), which provides numerous resources and guidelines for authors, editors, and publishers with regard to ethical standards and accepted practices in scientific publishing.

Scholarly Collaboration Network (SCN): Professional networking sites that facilitate collaboration among researchers as well as the sharing of data, results, and publications. SCNs include sites such as Academia.edu, ResearchGate, and Mendeley, among others.

Supplementary Material: Related material that has been judged by peer review as being relevant to the understanding of the article but that may be too lengthy or of too limited interest for inclusion in the article itself. Supplementary Material may include data tables or sets, appendixes, movie or audio clips, or other multimedia files.

U.S. Government employees: Authors working at Government organizations who author works as part of their official duties and who are not able to license rights to the Work, since no copyright exists. Government works are in the public domain within the United States.

Version of Record (VOR): The final published version of the article as it appears in the printed journal/proceedings or on the Scitation website. It incorporates all editorial input, is formatted in the publisher's standard style, and is usually viewed in PDF form.

Waiver: A request made to a university or institution to exempt an article from its open-access policy requirements. For example, a conflict will exist with any policy that requires the author to grant a nonexclusive license to the university or institution that enables it to license the Work to others. In all such cases, the Author must obtain a waiver, which shall be included in the manuscript file.

Work: The "Work" is considered all the material that comprises the article, including but not limited to the abstract, tables, figures, images, multimedia files that are directly embedded within the text, and the text itself. The Work does not include the Supplementary Material (see Supplementary Material above).

Work Made for Hire: Under copyright law, a work prepared by an employee within the scope of employment, or a work that has been specially ordered or commissioned for which the parties have agreed in writing to consider as a Work Made for Hire. The hiring party or employer is considered the author and owner of the copyright, not the person who creates the work.

Application of Spectral Element Method for Solving Problems of Geomechanics and Soil Mechanics in CAE Fidesys

Anatoly Vershinin^{1,a)}, Michael Cartsev^{2,b)}, Viktor Kozlov^{2,c)}, Vladimir Levin^{1,d)}

¹*Lomonosov Moscow State University*

²*Fidesys LLC*

^{a)} Corresponding author: versh1984@mail.ru

^{b)} cartsev@cae-fidesys.com

^{c)} v.kozlov@cae-fidesys.com

^{d)} v.a.levin@mail.ru

Abstract. The research is devoted to an overview of mathematical models and applied problems in mathematical modeling of geomechanical processes occurring in rocks. These problems were simulated in CAE Fidesys, which allows solving static and dynamic problems of geomechanics and geotechnics using spectral element method (SEM) of variable order of space approximation. Examples of solved problems with Mohr-Coulomb and Hoek-Brown mathematical models used in practice to describe the deformation of rocks and soils are considered. Simulation of plastic shear bands and their dependence on material properties is analyzed. Obtained numerical results are verified by comparison with the analytical solutions.

INTRODUCTION

Plastic shear bands are narrow zones within a solid body that are subject to uncontrolled strain growth due to plastic strain localization. Identifying the onset of such bands and investigating their development mechanisms is an important task in continuum mechanics of deformable solid [1–4]. Cohesive crack models [5–7] represent first attempts to study plastic shear bands. At present, numerical methods—most notably the finite element method (FEM) [6–12]—are widely used to analyze such states.

It is well known that one of the challenges of numerical simulation of plastic shear bands formation and development is their sensitivity to mesh parameters [13]. The development of the finite element method and its modifications, namely the spectral element method (SEM) [14–15], makes it possible to achieve a higher accuracy and a numerical convergence of strains localization just by increasing the order of the spectral element without mesh refinement [25].

This paper presents an analysis of several geomechanical problems solved using SEM. The first example, in addition to comparing the numerical solution with an analytical one, aims to benchmark SEM against FEM. In subsequent problems, SEM is applied exclusively as a powerful numerical solution method.

MATHEMATICAL MODELS

Let \mathbf{B} be a solid body occupying the domain Ω in three-dimensional Euclidean space \mathbf{E}^3 with a closed boundary $\partial\Omega$.

The equation of motion for a continuum body can be written as [16]:

$$\rho \frac{d^2\vec{u}}{dt^2} = \vec{\nabla} \cdot \underline{\sigma} + \rho \vec{f} \quad \forall \vec{x} \in \Omega, \quad (1)$$

where $\tilde{\sigma} = \tilde{\sigma}(\tilde{x})$ – Cauchy stress tensor, $\tilde{u} = \tilde{u}(\tilde{x})$ – displacement vector, \tilde{f} – vector of external body forces, ρ – density.

To describe deformations, the Cauchy–Green strain tensor is used [17]:

$$\tilde{\varepsilon} = \frac{1}{2} \left(\tilde{\nabla} \tilde{u} + \tilde{u} \tilde{\nabla} \right). \quad (2)$$

The relationship between the stress and strain tensors is governed by the generalized Hooke's law [18]:

$$\tilde{\sigma} = D_e : \tilde{\varepsilon}_e. \quad (3)$$

For isotropic materials, the fourth-order elasticity tensor can be expressed in general form:

$$D_e = 2G I_S + A \left(K - \frac{2G}{3} \right) I \otimes I, \quad (4)$$

where G and K are the shear and bulk moduli, A is a coefficient depending on the chosen theory, I_S is the fourth-order identity tensor, and I is the second-order identity tensor.

Assuming the thickness of the considered models along the basis vector \tilde{e}_3 is constant and sufficiently large, the plane strain theory can be applied. Equation (3) is then supplemented with the following conditions:

$$\begin{aligned} \varepsilon_{i3} &= \tilde{\varepsilon}_{3i} = 0 \\ \sigma_{i3} &= \tilde{\sigma}_{3i} = 0, i \neq 3. \\ A &= 1 \end{aligned} \quad (5)$$

In plasticity theory, the domain Ω is divided into elastic and plastic regions. In the elastic region, the following condition holds [19]

$$F(\tilde{\sigma}) < 0, \quad (6)$$

where $F(\tilde{\sigma})$ is the yield criterion, chosen individually for each model. Equations (1-5) are sufficient to describe the elastic region. In the plastic region, condition (6) is violated, and the stress–strain state is additionally governed by the relation:

$$F(\tilde{\sigma}) = 0. \quad (7)$$

Under the assumption of small strain theory, the strain rate is additively decomposed into elastic and plastic parts [20]:

$$\dot{\tilde{\varepsilon}} = \dot{\tilde{\varepsilon}}_e + \dot{\tilde{\varepsilon}}_p. \quad (8)$$

The plastic strain rate is obtained from the flow rule:

$$\dot{\tilde{\varepsilon}}_p = \dot{\gamma} \frac{\partial Q}{\partial \tilde{\sigma}}, \quad (9)$$

where $Q(\tilde{\sigma})$ is the plastic potential which is generally different from $F(\tilde{\sigma})$, i.e. non-associative plasticity is considered [26-28].

Mohr–Coulomb Model

To correctly describe plastic deformations in rocks, a mathematical model must be sensitive to hydrostatic pressure [26-28]. A well-known example of such a model is the Mohr–Coulomb yield criterion [22], expressed as:

$$\tau = c - \sigma_n \tan \phi, \quad (10)$$

where ϕ is internal friction angle, c is cohesion, σ_n is normal stress, τ is shear stress.

In terms of principal stresses, this equation takes the form (Fig.1):

$$F = (\sin \phi + 1) \sigma_1 + (\sin \phi - 1) \sigma_3 - 2c \cos \phi = 0. \quad (11)$$

The plastic potential has a form similar to that of the yield surface, but instead of the internal friction angle ϕ the dilatancy angle ψ is used:

$$Q = (\sin \psi + 1) \sigma_1 + (\sin \psi - 1) \sigma_3 - 2c \cos \psi = 0. \quad (12)$$




FIGURE 1. Mohr-Coulomb yield surface

Hoek–Brown Model

The Mohr-Coulomb model generally cannot fully describe the behavior of a rock due to the very wide range of stress levels occurring within it. It is also known that rocks often exhibit significant tensile strength. The Hoek-Brown yield criterion, widely used for modeling geomechanical processes [29], can be written in terms of the principal stresses (Fig. 2):


$$F = \sigma_1 - \sigma_3 - \sigma_{ci} \left(s - m_b \frac{\sigma_1}{\sigma_{ci}} \right)^a = 0, \quad (13)$$

where the parameters s, m_b, a are defined as:

$$\begin{aligned} m_b &= m_i e^{(GSI-100)/(28-4D)} \\ s &= e^{(GSI-100)/(9-3D)} \\ a &= 0.5 + \frac{e^{-GSI/15} - e^{-20/3}}{6} \end{aligned} \quad (14)$$

where σ_{ci} is an uniaxial compressive strength of the intact rock, GSI is Geological Strength Index, m_i is a material constant of intact rock, D is disturbance factor.

For the Hoek–Brown model, the plastic potential $Q(\sigma)$ coincides exactly with the yield function $F(\sigma)$.

FIGURE 2. Projection of the Hoek-Brown yield surface on the $\sigma_1 - \sigma_3$ plane

CALCULATION RESULTS

End-loaded Tapered Cantilever

The failure of a tapered cantilever under shear loading is considered (Fig. 3).




FIGURE 3. Computational model of the cantilever

Figure 4 presents the dependence between the vertical displacement of the loaded boundary of the cantilever and the applied load S . The graph indicates the maximum load at which the cantilever fails (uncontrolled displacement growth). Figure 5 shows the plastic strain field.




FIGURE 4. Load-displacement curve of the cantilever end




FIGURE 5. Comparison of plastic strain fields for FEM (a) and SEM (b)

Clearly visible shear bands correspond to the analytical solution proposed by Green [21]. The spectral element method demonstrates a sharper localization pattern of the shear bands compared to the finite element method, while requiring fewer elements.

Strip-footing Collapse

Deformation of the soil media under the indentation of a rigid stamp is considered (Fig. 6).




FIGURE 6. Computational model of strip-footing

The graph in Fig. 7 shows excellent convergence to the theoretical value of the ultimate (critical) load:

$$\frac{P_{\lim}}{\sigma_{ci}} \approx 2.57. \quad (15)$$




FIGURE 7. A pressure-displacement curve for the stamp indentation into the soil media




FIGURE 8. Plastic shear bands analytical (a) and numerical by SEM (b) due to stamp indentation

The shear bands at Fig. 8 demonstrate close agreement with the analytical solution presented by Prandtl and Hill [22].

Slope Stability

The deformation of a slope under its own weight is considered (Fig. 9).




FIGURE 9. Computational model of the slope

The analysis of slopes loaded by self-weight was carried out by Chen [23]. For the given geometric and material parameters, slope failure occurs when the factor

$$N = h \frac{\gamma}{c} = 4 \quad (16)$$

reaches its critical value. Here, h is the slope height, and $\gamma = \rho g$ is the unit weight.

The analytical safety factor is defined as follows:

$$\alpha_{\text{lim}} = \frac{N_s}{N} \approx 4.045. \quad (17)$$

For the considered example, $N_s \approx 16.18$.

A gravitational load was applied to the slope: $\bar{g} = \alpha g$. $\quad (18)$

The parameter α is increased gradually until the solution diverges. The obtained safety factor $\alpha_{\text{lim}}^{\text{fe}} \approx 4.28$ is 5.8% higher than the analytical value.




FIGURE 10. Analytical (a) and numerical (b) solution for the shear band inside the slope

Fig. 10 shows the plastic strain field at the slope instability. The resulting shear band agrees well with the analytical solution (logarithmic curve) [23].

Tension of a Strip with a Circular Hole

In the following example a dependence of the plastic shear band inclination near a circular hole (Fig. 11) on the internal friction angle is analyzed. The Mohr–Coulomb plasticity criterion is used.




FIGURE 11. Computational model of the strip with a circular hole




FIGURE 12. Shear band inclination angles for materials with internal friction angles of 15°, 30°, 45°, and 60° (from left to right)




FIGURE 13. Comparison of the internal friction angle vs shear band inclination angle for the analytical (solid line) and numerical (dots) solutions.

Figure 12 demonstrates the shear bands for different angles of internal friction. For the considered case of a strip with a circular hole, plastic shear bands are straight lines inclined to the axis of symmetry at an angle that depends on the material parameters (angle of internal friction). The graph in Fig. 13 demonstrates excellent agreement with the analytical solution [24].

CONCLUSION

High-precision modeling of the rock deformation during the development of a reservoir and geotechnical works plays an important role in modeling various multiscale and multiphysical processes, such as deformation of geological layers, subsidence of the free surface, stability of the wellbore and quarry walls, sand flow, closure/opening of pores, shear deformation along a fault, hydrocarbon production etc. In the modeling of hydrocarbon production, the following main areas can be particularly stressed, in which the consideration of geomechanical processes and their correct description based on modern numerical methods can significantly improve the efficiency of technological operations carried out at the reservoirs: modeling of drilling processes, hydraulic fracturing and geomechanical modeling of the reservoir during its development.

The paper considered models and methods for the geomechanical simulation integrated into the engineering analysis software CAE Fidesys (www.cae-fidesys.com) for solving problems of geotechnical, oil and gas and mining engineering. Examples of solved problems using the Mohr-Coulomb, Hooke-Brown mathematical models used in practice to describe the deformation of rocks and soils were considered. Simulation of plastic shear banding in rocks clearly demonstrated that the spectral element method produces a numerical solution in good agreement with the analytical solution and provides higher-quality results in comparison with the finite element method.

The presented approach makes it possible to address a wide range of geomechanical problems, including the formation and development of plastic shear bands.

ACKNOWLEDGMENTS

The research for this article was performed in Lomonosov Moscow State University and was financially supported by the Ministry of Education and Science of the Russian Federation as part of the program of the Moscow Center for Fundamental and Applied Mathematics under the agreement №075-15-2019-1621.

REFERENCES

1. P. M. A. Areias and T. Belytschko, Two scale shear band evolution with adaptive bandwidth by local partition of unity. *International Journal for Numerical Methods in Engineering*, in Press.
2. W-F. Chen and E. Mizuno, *Nonlinear Analysis in Soil Mechanics. Theory and Implementation*. (New York: Elsevier 1990).

3. J. R. Rice, A Path Independent Integral and the Approximate Analysis of Strain Concentration by Notches and Cracks. *J. Appl. Mech.*, **35**, 379–386, (1968).
4. I. Vardoulakis, M. Goldscheider and G. Gudehus, Formation of shear bands in sand bodies as a bifurcation problem. *International Journal for numerical and analytical methods in geomechanics*, **2**, 99–128, (1978).
5. T. Belytschko, J. Fish and B. Englemann, A finite element method with embedded localization zones. *Computer Methods in Applied Mechanics and Engineering*, **70**, 59–89, (1988).
6. F. Armero and K. Garikipati. An analysis of strong discontinuities in multiplicative finite strain plasticity and their relation with the numerical simulation of strain localization in solids. *International Journal of Solids and Structures*, **33**(20-22), 2863–2885, (1996).
7. J. Oliver, M. Cervera and O. Manzoli, Strong discontinuities and continuum plasticity models: the strong discontinuity approach. *International Journal of Plasticity*, **15**, 319–351, (1999).
8. M. Ortiz, Y. Leroy and A. Needleman, Finite element method for localized failure analysis. *Computer Methods in Applied Mechanics and Engineering*, **61**(2), 189–214, (1987).
9. Q. Yang, A. Mota, and M. Ortiz, A class of variational strain-localization finite elements. *International Journal for Numerical Methods in Engineering*, **62**(8), 1013–1037, (2005).
10. R. A. Regueiro and R. I. Borja, Finite element analysis of strain localization in geologic materials taking a strong discontinuity approach. *John A. Blume Earthquake Engineering Center*, **14**, (1998).
11. O. C. Zienkiewicz and R. L. Taylor, *The Finite Element Method. Volume II: Solid Mechanics*. 5th edn. (Butterworth–Heinemann, 2000).
12. F. M. A. Pires, E. A. de Souza Neto and D. R. J. Owen, On the Finite Element Prediction of Damage Growth and Fracture Initiation in Finitely Deforming Ductile Materials. *Comp. Meth. Appl. Mech. Engng*, **193**, 5223–5256, (2004).
13. F. Zhou and J.F. Molinari, Dynamic crack propagation with cohesive elements: a methodology to address mesh dependence. *International Journal for Numerical Methods in Engineering*, **59**(1), 1–24, (2004).
14. K. A. Petrovskiy, A. V. Vershinin, V. A. Levin, Application of spectral elements method to calculation of stress-strain state of anisotropic laminated shells // IOP Conf. Series: Materials Science and Engineering. Vol. **158**. P. 012077, (2016). <http://iopscience.iop.org/article/10.1088/1757-899X/158/1/012077>
15. D. Konovalov, A. Vershinin, K. Zingerman, V. Levin, The implementation of spectral element method in a CAE system for the solution of elasticity problems on hybrid curvilinear meshes // Modeling and Simulation in Engineering. (2017), art. id. 1797561. <https://doi.org/10.1155/2017/1797561>
16. A. A. Markin, D. V. Khristich, Nonlinear Theory of Elasticity: Textbook. 2nd ed. (Tula State University Press, Tula, 2007), 92 p. (in Russian).
17. L. I. Sedov, *Continuum Mechanics*, Vol. 2. (Moscow: Nauka, 1970), 568 p. (in Russian).
18. A. I. Lurie, *Nonlinear Theory of Elasticity*, (Moscow: Nauka, 1980). 512 p. (in Russian).
19. L. M. Kachanov, *Fundamentals of the Theory of Plasticity*, (Moscow: Nauka, 1969). 421 p. (in Russian).
20. E. A. de Souza Neto, D. J. Peric, D. R. J. Owen, *Computational Methods for Plasticity: Theory and Applications*, (Wiley, 2008), P. 816.
21. A. P. Green, A Theory of the Plastic Yielding Due to Bending of Cantilevers and Fixed-ended Beams, Part I. *J. Mech. Phys. Solids*, **3**, 1–15, (1954).
22. R. Hill, *The Mathematical Theory of Plasticity*, (Oxford University Press, London, 1950).
23. W-F. Chen, *Limit Analysis and Soil Plasticity*, (New York, Elsevier, 1975).
24. V. Tvergaard, Influence of Voids on Shear Band Instabilities under Plane Strain Conditions, *Int. J. Fract.*, **17**, 389–407, (1981).
25. A. Vershinin, Poroelastoplastic modeling of a borehole stability under small and finite strains using isoparametric spectral element method. *Continuum Mechanics and Thermodynamics*, (2022). DOI: <http://dx.doi.org/10.1007/s00161-022-01117-4>
26. P. A. Vermeer, R. de Borst, Non-associated Plasticity for Soils, Concrete and Rock, *Heron*. V. **29**, No. 3, P. 1–64, (1984).
27. V. M. Yarushina, & Y. Y. Podladchikov, (De)compaction of porous viscoelastoplastic media: Model formulation, *J. Geophys. Res. Solid Earth* **120**, 4146–4170 (2015).
28. Y. P. Stefanov, M. A. Chertov, G. R. Aidagulov, A. V. Myasnikov, Dynamics of inelastic deformation of porous rocks and formation of localized compaction zones studied by numerical modeling, *J. Mech. Phys. Solids*. V. **59**, No. 11, P. 2323–2340, (2011).
29. C. Carranza-Torres, “Elasto-plastic solution of tunnel problems using the generalized form of the Hoek-Brown failure criterion”, *Int. J. Rock Mech. Min. Sci.*, **41**, no. SUPPL. 1, 629–639, (2004).