

3rd International Conference Advanced Mechanics: Structure, Materials, Tribology

Estimating 3D Crack Density Tensors and Effective Elastic and Conductive Properties from Crack Traces on 2D Cross-Sections

AIPCP25-CF-AMSMT2025-00007 | Article

PDF auto-generated using **ReView**



Estimating 3D Crack Density Tensors and Effective Elastic and Conductive Properties from Crack Traces on 2D Cross-Sections

Yulia Pronina ^{1, a)}, Victoria Vialtseva ¹, and Mark Kachanov ^{2, b)}

¹*St.Petersburg State University, 7/9 Universitetskaya nab., St. Petersburg, 199034 Russia.*

²*Tufts University, Medford, MA 02155, USA.*

^{a)} Corresponding author: y.pronina@spbu.ru

^{b)} mark.kachanov@tufts.edu

Abstract. The effective elastic and conductive properties of microcracked materials are controlled by parameters of the 3D crack density (scalar, in the isotropic case of random crack orientations, and tensor, in cases of non-random orientations). However, these parameters are difficult to be determined experimentally. On the other hand, the information on line crack traces on boundaries of specimens cut out of the material may be readily available. The present work develops the methodology of estimating the effective elastic and conductive properties of microcracked materials from the density and orientations of the mentioned traces. The accuracy of the obtained estimates is illustrated by numerical simulations.

INTRODUCTION

The effective elastic and conductive properties of materials containing microcracks depend on crack concentration. The challenge encountered in this context is the identification of the proper crack density parameter in which terms the properties of interest are to be expressed. Several such parameters have been proposed in literature, including the *number* of cracks per unit area (see, e.g., [1]), the average spacing between cracks to the power -3 [2], “crack porosity” that is routinely used in various applications. The question arises, which of the numerous parameters of crack concentration should be used?

The choice of this parameter depends on the physical property of interest (see the book of Kachanov and Sevostianov [3] for an in-detail discussion of this issue). Here, we consider the effective elastic and conductive properties of microcracked materials. Then, the classical parameter of crack density, first defined by Bristow [4] in the case of isotropy (random crack orientations), has the form

$$\rho_{3D} = \frac{1}{V} \sum_k r_k^3 . \quad (1)$$

In this formula, cracks are supposed to have the circular (penny) shape and r_k are the crack radii; the volume of averaging is denoted by V ; the notation “3D” indicates that the problem is three-dimensional. This formula takes the contributions of individual cracks proportionally to crack radii cubed, since that corresponds to their actual contributions to the effective properties (the compliance contribution of any flat crack is a product of the crack area and the average loading-induced displacement discontinuity across the crack that is proportional to the linear size of the crack). In its terms, the effective constants (normalized to the values for the isotropic virgin material, marked by subscripts 0) were derived by Bristow [4] in the non-interaction approximation (NIA) as follows:

$$\frac{E}{E_0} = \frac{1}{1 + (16/9) \left[(1 - \nu_0^2) / (1 - 2\nu_0) \right] \rho_{3D}} , \quad (2)$$

$$\frac{G}{G_0} = \frac{1}{1 + (32/45) \left[(1 - \nu_0)(5 - \nu_0) / (2 - \nu_0) \right] \rho_{3D}} , \quad (3)$$

$$\frac{k}{k_0} = \frac{1}{1 + (8/9)\rho_{3D}}. \quad (4)$$

where E , G and ν are Young's and shear moduli and Poisson's ratio; the conductivity is denoted by k . We mention that commonly used schemes, Mori-Tanaka's, differential, etc. are based on the NIA results. The NIA (formulated as above, without linearization in ρ_{3D}) remains sufficiently accurate up to crack densities of at least $0.12 - 0.15$.

In anisotropic cases of non-random orientation distributions of cracks, the effective elastic properties are expressed in terms of the 2nd rank tensor $\alpha = (1/V) \sum_k r_k^3 (\mathbf{n}\mathbf{n})^k$ and the 4th rank tensor $\beta = (1/V) \sum_k r_k^3 (\mathbf{n}\mathbf{n}\mathbf{n}\mathbf{n})^k$ where \mathbf{n}^k is the unit normal to k -th crack. In their terms, the extra compliances due to cracks (additional to the ones of the isotropic matrix material) are given by Kachanov [5]:

$$\Delta S_{ijkl} = \frac{32(1-\nu_0^2)}{3(2-\nu_0)} \frac{1}{E_0} \left[\frac{1}{4} (\delta_{ik}\alpha_{jl} + \delta_{il}\alpha_{jk} + \delta_{jk}\alpha_{il} + \delta_{jl}\alpha_{ik}) - \frac{\nu_0}{2} \beta_{ijkl} \right]. \quad (5)$$

Thus, in the case of isotropy, the elastic properties are expressed in terms of parameter (1) and, in cases of crack-induced anisotropy, in terms of tensors α and β ; the virgin material is assumed to be isotropic in both cases. Note that similar, and somewhat simpler, formulas hold for the effective conductive properties, for which the β -tensor is irrelevant (see [3] for details). However, in experimental setting, estimation of these parameters is a challenging task. On the other hand, the information on crack traces, of lengths $2l_k$, on specimen faces may be readily available. In the present work, we discuss the extraction of information on 3D crack density from the crack traces.

In the case of isotropy, the relevant crack density parameter in the 2D setting is the sum

$$\rho_{2D} = \frac{1}{S} \sum_k l_k^2, \quad (6)$$

where S is the averaging area. In cases of crack-induced anisotropy, the orientation of crack traces should also be taken into account. The present work develops the step-by-step methodology of estimation of the effective elastic properties of a microcracked material from the observed crack traces on specimen boundaries (the properties of the matrix are assumed to be known).

Note that relations between 1D, 2D, and 3D microgeometry characteristics (volume fractions, area fractions in cross-sections, MIL, Minkowski's tensors, etc.) have been investigated in literature; see, for example, [6–8], and [9] for a more recent publication. However, they did not discuss the crack density parameters such as (1) and (6) or their tensor forms, α and β . We emphasize that the proper crack density parameters for cracks do not involve their volume fractions (as seen from the definition of crack density in which terms the effective properties are expressed); see [10,11] for examples of application of these concepts. Therefore, the case of cracks should be considered separately (and not as a special case of inhomogeneities), and this constitutes the motivation for the present analysis.

2D–3D RELATIONS FOR CRACK DENSITIES

Here we provide the framework for estimating the 3D crack density, ρ_{3D} , from the 2D density of crack traces, ρ_{2D} , observed on cross-sections or specimen faces. We first consider the case of random crack orientations (overall isotropy) and then proceed to anisotropic case of several families of parallel cracks, at arbitrary angles with respect to each other; for in-detail analyses we refer to papers [12,13]. The presented $\rho_{3D} - \rho_{2D}$ connections have to be understood in the statistical sense: firstly, the $\rho_{3D} - \rho_{2D}$ connections discussed below are of statistical nature (they assume uniform distribution of cracks over their positions); secondly, the available input information on ρ_{2D} (for a finite set of cracks) may fluctuate from one specimen to another and the obtained estimates of ρ_{3D} would fluctuate about its actual value.

Note that the 2D–3D relations do not involve the crack radii and cover mixtures of cracks of diverse radii.

Random Crack Orientations

We consider a volume element containing a representative set of penny-shaped cracks of random orientations (that produces isotropic effective elastic and conductive properties). We bisect the representative volume by a planar cross-

section and consider lines of intersection of cracks with this plane (any face of a cubic specimen cut out of the material Fig. 1).




FIGURE 1. 3D arrays of cracks (a) and their traces on specimen boundaries (b); randomly oriented cracks.

Performing appropriate averaging over the crack orientations and over the distances of crack centers from the cross-section (assuming their uniform distributions), we arrive at the following formula

$$\rho_{3D} = \frac{3}{\pi} \rho_{2D}, \quad (7)$$

that explicitly relates the 3D crack density (that controls the effective properties) to the 2D density of crack traces observable on cross-section or specimen faces.

If the ρ_{2D} values are available for several cross-sections or specimen faces, averaging over the corresponding ρ_{3D} estimates will likely improve the accuracy.

A Family of Parallel Cracks

We consider a volume element containing a representative set of parallel penny-shaped cracks (that produces anisotropic effective elastic and conductive properties). In this case, the density of crack traces on a given cross-section will depend on the orientation of this cross-section with respect to cracks. The 2nd rank tensor α and the 4th rank tensor β entering into (2) may be represented as $\alpha = \rho_{3D} \mathbf{n} \mathbf{n}$ and $\beta = \rho_{3D} \mathbf{n} \mathbf{n} \mathbf{n} \mathbf{n}$ where \mathbf{n} is the unit normal to the crack system and ρ_{3D} is a scalar crack density (they are determined in the text to follow). This case constitutes the basic building block for analyses of more complex orientation distributions. We bisect the representative volume by three mutually perpendicular planes that may be treated as faces of a physical specimen (Fig. 2).




FIGURE 2. 3D arrays of cracks (a) and their traces on specimen boundaries (b); one family of parallel cracks. Superscripts (i) at l refer to faces with normals parallel to x_i axis.

The orientation of the crack family is found in a deterministic way; the unit normal to the cracks is given by any of the following three formulas [13]:

$$\begin{aligned} \mathbf{n} &= \frac{1}{\sqrt{1+\cot^2 \varphi_3 + \tan^2 \varphi_2}} \begin{pmatrix} -\cot \varphi_3 \\ -\tan \varphi_2 \\ 1 \end{pmatrix} = \frac{-\operatorname{sign} \tan \varphi_3}{\sqrt{1+\cot^2 \varphi_1 + \tan^2 \varphi_3}} \begin{pmatrix} 1 \\ -\cot \varphi_1 \\ -\tan \varphi_3 \end{pmatrix}, \\ &= \frac{-\operatorname{sign} \tan \varphi_2}{\sqrt{1+\cot^2 \varphi_2 + \tan^2 \varphi_1}} \begin{pmatrix} -\tan \varphi_1 \\ 1 \\ -\cot \varphi_2 \end{pmatrix} \end{aligned} \quad (8)$$

where φ_i are the angles between crack traces on the plane $x_i x_{i+1}$ and the x_i axis (Fig.2).

The density ρ_{3D} may be estimated by any of the three formulas (obtained in terms of the mathematical expectations of the densities of cracks and their traces):

$$\rho_{3D} = \rho_{2D}^{(3)} \frac{3}{4} \sqrt{1 + \frac{\cos^2 \varphi_1}{\tan^2 \varphi_2}} = \rho_{2D}^{(1)} \frac{3}{4} \sqrt{1 + \frac{\cos^2 \varphi_2}{\tan^2 \varphi_3}} = \rho_{2D}^{(2)} \frac{3}{4} \sqrt{1 + \frac{\cos^2 \varphi_3}{\tan^2 \varphi_1}}, \quad (9)$$

where $\rho_{2D}^{(i)}$ refers to the 2D density of crack traces on the corresponding cross-sections normal to the axis x_i . Averaging over all the estimates will improve the accuracy. Alternatively, ρ_{3D} can be determined from the following formula

$$\rho_{3D} = \frac{3}{4\sqrt{2}} \sqrt{\left(\rho_{2D}^{(1)}\right)^2 + \left(\rho_{2D}^{(2)}\right)^2 + \left(\rho_{2D}^{(3)}\right)^2}, \quad (10)$$

that may be preferable in cases when 2D densities of crack traces are available on three mutually perpendicular planes.

Several Families of Parallel Cracks of Arbitrary Orientations

We consider the case of several families of parallel cracks inclined to each other at arbitrary angles (Fig. 3 shows the case of two families A and B).




FIGURE 3. 3D arrays of cracks (a) and their traces on specimen boundaries (b); two families of parallel cracks. Superscripts (i)A or (i)B at l refer to faces with normals parallel to x_i axis, the traces belonging to crack family A or B.

The analysis of this case utilizes the results for a single crack family and involves the following tasks:

1. Identification, to which crack family each of the crack traces belongs, with simultaneous determination of the orientations of all the families, \mathbf{n}^M .
2. Determination of the partial scalar crack density ρ_{3D}^M for each M -th family.

3. Application of the superposition principle: $\alpha = \sum_M \alpha^M$ and $\beta = \sum_M \beta^M$

The criterion that angles φ_1 , φ_2 , and φ_3 corresponding to crack traces on three mutually perpendicular cross-sections belong to one family is given by the relation [13]:

$$\tan \varphi_1 \tan \varphi_2 \tan \varphi_3 = -1 \quad (11)$$

Verification of this criterion yields several combinations of three angles φ_i , each corresponding to a certain family. The orientation and a partial crack density for this family is determined by the formulas for one family of parallel cracks.

The Procedure of Estimation of the Effective Properties


Thus, the following procedure of estimation of the effective properties can be suggested, in the general case of several systems of parallel cracks, as well as randomly oriented cracks:

1. In cases of several systems of parallel cracks: identification of each system and determination of their orientations (\mathbf{n}^M), formulas (8) and (11).
2. Calculation of ρ_{2D}^M on available cross-sections for each crack system, formula (6).
3. For each available cross-section, estimation of partial densities ρ_{3D}^M for each crack family, formulas (9); formula (7) for randomly oriented cracks (isotropy).
4. Averaging the values of the crack density obtained from different cross-sections.
5. In cases of several crack systems: summation over all families.
6. Calculation of the effective elastic or conductive constants, using an appropriate scheme (NIA, for instance, formulas (2)–(5)).

NUMERICAL SIMULATIONS

Extensive numerical simulations for a number of finite crack sets have been performed in works [12,13] for the random transversely isotropic and non-random crack orientations, respectively. The simulations showed fluctuations of the estimates of ρ_{3D} about their actual (known a priori) values. In the present work, we combine estimates of ρ_{3D} with formulas for the effective elastic constants in the NIA. We present results on the fluctuations of the computed estimates of the effective Young's moduli, for one family of parallel cracks. Computations were performed for five different orientations of the crack family with respect to specimen faces. The discussed fluctuations, in their dependence on number K of specimens (over which the averaging, that followed averaging over six specimen faces, was performed) are shown in Fig. 4. Results show that the deviations are quite small, within 1%, even for small numbers of specimens (starting from about 20). Note that the deviations, being normalized to the values of the Young's moduli in the corresponding directions, are somewhat larger for the smallest moduli. The data of Table 1 demonstrate elastic anisotropy due to cracks in the isotropic matrix.

Remark. In the case 1 of Fig. 4 and Table 1, the cracks form equal angles with all coordinate axes. As a result, the three Young moduli in the coordinate directions are equal – in spite of the fact that the material is anisotropic – thus illustrating that the equality of Young's moduli in three orthogonal directions does not necessarily imply isotropy.



(a)




FIGURE 4. Dependence of the normalized fluctuations of estimates of Young's moduli on the number K of specimens over which the averaging was performed. The area of each face of a cubic specimen is 1cm^2 , crack radii are 1mm , the number of cracks in a specimen $N = 100$. Properties of the virgin material: $E_0 = 160\text{GPa}$, $\nu_0 = 0.3$.

TABLE 1. Young's moduli in x_i directions, for five orientations of one crack family with respect to x_i . Values of E_i^* and E_i are the computed estimates (from data on crack traces on six faces of each of 100 specimens) and the ones obtained using the actual value of $\rho_{3D} = 0.1$.

φ_1, φ_2	E_1	E_2	E_3	E^*_1	E^*_2	E^*_3
$3\pi/4, 3\pi/4$	135.50	135.50	135.50	135.70	135.70	136.70
$0, 3\pi/4$	160.00	126.57	126.57	160.00	126.60	126.60
$\pi/5, \pi/5$	147.33	137.99	124.05	147.28	137.90	123.93
$\pi/3, \pi/10$	142.49	153.56	117.72	142.34	153.50	117.42
$\pi/6, 9\pi/10$	157.24	152.08	111.52	157.19	151.93	110.86

CONCLUDING REMARKS

The effective elastic and conductive properties are controlled by 3D crack density parameters, the scalar parameter (1) in the isotropic case of random crack orientations, and tensors α and β in anisotropic cases of non-random orientations. However, experimental determination of these parameters is difficult. A methodology is developed of their estimates from the densities and orientations of crack traces on specimen boundaries. Computational simulations on finite sets of cracks combined with formulas for the effective properties showed that deviations of the estimates from the actual values are quite small, provided a sufficient total cross-sectional area is available.

This work establishes a methodology of determination of the effective elastic and conductive properties of microcracked materials, that can be used, in particular, as a monitoring tool.

ACKNOWLEDGMENTS

The first two authors (YP and VV) acknowledge the support of the Russian Science Foundation, grant No 25-29-00565, <https://rscf.ru/project/25-29-00565/>

REFERENCES

1. J. Bolivar, M. Frégonèse, J. Réthoré, C. Duret-Thual, and P. Combrade, Evaluation of multiple stress corrosion crack interactions by in-situ Digital Image Correlation. *Corros. Sci.* **128**, 120-129 (2017). <https://doi.org/10.1016/j.corsci.2017.09.001>
2. L. R. Botvina, A. I. Bolotnikov, and I. O. Sinev, Hierarchy of microcracks under cyclic and static loads. *Phys. Mesomech.* **23**(6), 466-476 (2020). <https://doi.org/10.1134/S1029959920060028>
3. M. Kachanov and I. Sevostianov, *Micromechanics of Materials, with Applications* (Springer, 2018, Series *Solid Mechanics and Its Applications*, edited by J. R. Barber), pp. 103–126, 245–249. <https://doi.org/10.1007/978-3-319-76204-3>
4. J. R. Bristow, Microcracks, and the static and dynamic elastic constants of annealed heavily cold-worked metals. *British J. Appl. Phys.* **11**, 81-85 (1960). <https://doi.org/10.1088/0508-3443/11/2/309>
5. M. Kachanov, Effective elastic properties of cracked solids: critical review of some basic concepts. *Appl. Mech. Rev.* **45**(8), 305–336 (1992).
6. M. Delesse, Procédé mécanique pour déterminer la composition des roches. *Annales des mines* **13**, 379-388 (1848) (in French).
7. R. L. Fullman, Measurement of particle sizes in opaque bodies. *J. Metals* **5**(3), 447-452 (1953). <https://doi.org/10.1007/BF03398971>
8. W. J. Whitehouse, The quantitative morphology of anisotropic trabecular bone. *J. Microsc.* **101**(2), 153-168 (1974). <https://doi.org/10.1111/j.1365-2818.1974.tb03878.x>
9. C. H. Arns, M. A. Knackstedt, and K. R. Mecke, Reconstructing complex materials via effective grain shapes. *Phys. Rev. Letters* **91**(21), 215506 (2003). <https://doi.org/10.1103/PhysRevLett.91.215506>
10. M. Kachanov, V. Mishakin, and Y. Pronina, On low cycle fatigue of austenitic steel. Part II: Extraction of information on microcrack density from a combination of the acoustic and eddy current data. *Int. J. Eng. Sci.* **169**, 103569 (2021). <https://doi.org/10.1016/j.ijengsci.2021.103569>

11. Y. Pronina, M. Narykova, and M. Kachanov, Relating stiffness changes in porous materials to the evolution of pore space. *Mech. Mater.* **202**, 105236 (2025). <https://doi.org/10.1016/j.mechmat.2024.105236>.
12. Y. Pronina and M. Kachanov, Estimating concentrations of cracks and platelets from their traces in 2D cross-sections. *Mech. Mater.* **180**, 104618 (2023). <https://doi.org/10.1016/j.mechmat.2023.104618>.
13. V. Vialtseva, Y. Pronina, and M. Kachanov, Finding densities and orientations of cracks and platelets from their traces in cross-sections, in anisotropic cases of non-random orientations. *Mech. Mater.* **209**, 105447 (2025). <https://doi.org/10.1016/j.mechmat.2025.105447>



LICENSE TO PUBLISH AGREEMENT FOR CONFERENCE PROCEEDINGS

This License to Publish must be signed and returned to the Proceedings Editor before the manuscript can be published. If you have questions about how to submit the form, please contact the AIP Publishing Conference Proceedings office (confproc@aip.org). For questions regarding the copyright terms and conditions of this License, please contact AIP Publishing's Office of Rights and Permissions, 1305 Walt Whitman Road, Suite 300, Melville, NY 11747-4300 USA; Phone 516-576-2268; Email: rights@aip.org.

Article Title ("Work"): *Estimating 3D crack density tensors and effective elastic and conductive properties from crack traces on 2D cross-sections*

(Please indicate the final title of the Work. Any substantive changes made to the title after acceptance of the Work may require the completion of a new agreement.)

All Author(s): *Julia Pronina, Victoria Vnukseva, Mark Kachanov*

(Please list all the authors' names in order as they will appear in the Work. All listed authors must be fully deserving of authorship and no such authors should be omitted. For large groups of authors, attach a separate list to this form.)

Title of Conference: *Advanced Mechanics: Structure, Materials, Tribology*

Name(s) of Editor(s): *V. Popov*

All Copyright Owner(s), if not Author(s):

(Please list all copyright owner(s) by name. In the case of a Work Made for Hire, the employer(s) or commissioning party(ies) are the copyright owner(s). For large groups of copyright owners, attach a separate list to this form.)

Copyright Ownership and Grant of Rights

For the purposes of this License, the "Work" consists of all content within the article itself and made available as part of the article, including but not limited to the abstract, tables, figures, graphs, images, and multimedia files, as well as any subsequent errata. "Supplementary Material" consists of material that is associated with the article but linked to or accessed separately (available electronically only), including but not limited to data sets and any additional files.

This Agreement is an exclusive License to Publish not a Transfer of Copyright. Copyright to the Work remains with the Author(s) or, in the case of a Work Made for Hire, with the Author(s)' employer(s). AIP Publishing LLC shall own and have the right to register in its name the copyright to the proceedings issue or any other collective work in which the Work is included. Any rights granted under this License are contingent upon acceptance of the Work for publication by AIP Publishing. If for any reason and at its own discretion AIP Publishing decides not to publish the Work, this License is considered void.

Each Copyright Owner hereby grants to AIP Publishing LLC the following irrevocable rights for the full term of United States and foreign copyrights (including any extensions):

1. The exclusive right and license to publish, reproduce, distribute, transmit, display, store, translate, edit, adapt, and create derivative works from the Work (in whole or in part) throughout the world in all formats and media whether now known or later developed, and the nonexclusive right and license to do the same with the Supplementary Material.
2. The right for AIP Publishing to freely transfer and/or sublicense any or all of the exclusive rights listed in #1 above. Sublicensing includes the right to authorize requests for reuse of the Work by third parties.
3. The right for AIP Publishing to take whatever steps it considers necessary to protect and enforce, at its own expense, the exclusive rights granted herein against third parties.

Author Rights and Permitted Uses

Subject to the rights herein granted to AIP Publishing, each Copyright Owner retains ownership of copyright and all other proprietary rights such as patent rights in the Work.

Each Copyright Owner retains the following nonexclusive rights to use the Work, without obtaining permission from AIP Publishing, in keeping with professional publication ethics and provided clear credit is given to its first publication in an AIP Publishing proceeding. Any reuse must include a full credit line acknowledging AIP Publishing's publication and a link to the Version of Record (VOR) on AIP Publishing's site.

Each Copyright Owner may:

1. Reprint portions of the Work (excerpts, figures, tables) in future works created by the Author, in keeping with professional publication ethics.
2. Post the Accepted Manuscript (AM) to their personal web page or their employer's web page immediately after acceptance by AIP Publishing.
3. Deposit the AM in an institutional or funder-designated repository immediately after acceptance by AIP Publishing.

4. Use the AM for posting within scientific collaboration networks (SCNs). For a detailed description of our policy on posting to SCNs, please see our Web Posting Guidelines (<https://publishing.aip.org/authors/web-posting-guidelines>).
5. Reprint the Version of Record (VOR) in print collections written by the Author, or in the Author's thesis or dissertation. It is understood and agreed that the thesis or dissertation may be made available electronically on the university's site or in its repository and that copies may be offered for sale on demand.
6. Reproduce copies of the VOR for courses taught by the Author or offered at the institution where the Author is employed, provided no fee is charged for access to the Work.
7. Use the VOR for internal training and noncommercial business purposes by the Author's employer.
8. Use the VOR in oral presentations made by the Author, such as at conferences, meetings, seminars, etc., provided those receiving copies are informed that they may not further copy or distribute the Work.
9. Distribute the VOR to colleagues for noncommercial scholarly use, provided those receiving copies are informed that they may not further copy or distribute the Work.
10. Post the VOR to their personal web page or their employer's web page 12 months after publication by AIP Publishing.
11. Deposit the VOR in an institutional or funder-designated repository 12 months after publication by AIP Publishing.
12. Update a prior posting with the VOR on a noncommercial server such as arXiv, 12 months after publication by AIP Publishing.

Author Warranties

Each Author and Copyright Owner represents and warrants to AIP Publishing the following:

1. The Work is the original independent creation of each Author and does not infringe any copyright or violate any other right of any third party.
2. The Work has not been previously published and is not being considered for publication elsewhere in any form, except as a preprint on a noncommercial server such as arXiv, or in a thesis or dissertation.
3. Written permission has been obtained for any material used from other sources and copies of the permission grants have been supplied to AIP Publishing to be included in the manuscript file.
4. All third-party material for which permission has been obtained has been properly credited within the manuscript.
5. In the event that the Author is subject to university open access policies or other institutional restrictions that conflict with any of the rights or provisions of this License, such Author has obtained the necessary waiver from his or her university or institution.

This License must be signed by the Author(s) and, in the case of a Work Made for Hire, also by the Copyright Owners. One Author/Copyright Owner may sign on behalf of all the contributors/owners only if they all have authorized the signing, approved of the License, and agreed to be bound by it. The signing Author and, in the case of a Work Made for Hire, the signing Copyright Owner warrants that he/she/it has full authority to enter into this License and to make the grants this License contains.

1. The Author must please sign here (except if an Author is a U.S. Government employee, then please sign under #3 below):

Julia *Julia Pronina* *28.09.2025*
Author(s) Signature Print Name Date

2. The Copyright Owner (if different from the Author) must please sign here:

Name of Copyright Owner Authorized Signature and Title Date

3. If an Author is a U.S. Government employee, such Author must please sign below. The signing Author certifies that the Work was written as part of his/her official duties and is therefore not eligible for copyright protection in the United States.

Name of U.S. Government Institution (e.g., Naval Research Laboratory, NIST)

Author Signature Print Name Date

PLEASE NOTE: NATIONAL LABORATORIES THAT ARE SPONSORED BY U.S. GOVERNMENT AGENCIES BUT ARE INDEPENDENTLY RUN ARE NOT CONSIDERED GOVERNMENT INSTITUTIONS. (For example, Argonne, Brookhaven, Lawrence Livermore, Sandia, and others.) Authors at these types of institutions should sign under #1 or #2 above.

If the Work was authored under a U.S. Government contract, and the U.S. Government wishes to retain for itself and others acting on its behalf, a paid-up, nonexclusive, irrevocable, worldwide license in the Work to reproduce, prepare derivative works from, distribute copies to the public, perform publicly, and display publicly, by or on behalf of the Government, please check the box below and add the relevant Contract numbers.

Contract #s: _____ [1.16.1]

LICENSE TERMS DEFINED

Accepted Manuscript (AM): The final version of an author's manuscript that has been accepted for publication and incorporates all the editorial changes made to the manuscript after submission and peer review. The AM does not yet reflect any of the publisher's enhancements to the work such as copyediting, pagination, and other standard formatting.

arXiv: An electronic archive and distribution server for research article preprints in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, and statistics, which is owned and operated by Cornell University, <http://arxiv.org/>.

Commercial and noncommercial scholarly use: *Noncommercial* scholarly uses are those that further the research process for authors and researchers on an individual basis for their own personal purposes. They are author-to-author interactions meant for the exchange of ideas. *Commercial* uses fall outside the author-to-author exchange and include but are not limited to the copying or distribution of an article, either in hard copy form or electronically, for resale or licensing to a third party; posting of the AM or VOR of an article by a site or service where an access fee is charged or which is supported by commercial paid advertising or sponsorship; use by a for-profit entity for any type of promotional purpose. Commercial uses require the permission of AIP Publishing.

Embargo period: The period of time during which free access to the full text of an article is delayed.

Employer's web page: A web page on an employer's site that highlights the accomplishments and research interests of the company's employees, which usually includes their publications. (See also: Personal web page and Scholarly Collaboration Network).

Exclusive License to Publish: An exclusive license to publish is a written agreement in which the copyright owner gives the publisher exclusivity over certain inherent rights associated with the copyright in the work. Those rights include the right to reproduce the work, to distribute copies of the work, to perform and display the work publicly, and to authorize others to do the same. The publisher does not hold the copyright to the work, which continues to reside with the author. The terms of the AIP Publishing License to Publish encourage authors to make full use of their work and help them to comply with requirements imposed by employers, institutions, and funders.

Full Credit Line: AIP Publishing's preferred format for a credit line is as follows (you will need to insert the specific citation information in place of the capital letters): "Reproduced from [FULL CITATION], with the permission of AIP Publishing." A FULL CITATION would appear as: Journal abbreviation, volume number, article ID number or page number (year). For example: Appl. Phys. Lett. 107, 021102 (2015).

Institutional repository: A university or research institution's digital collection of articles that have been authored by its staff and which are usually made publicly accessible. As authors are encouraged and sometimes required to include their published articles in their institution's repository, the majority of publishers allow for deposit of the Accepted Manuscript for this purpose. AIP Publishing also allows for the VOR to be deposited 12 months after publication of the Work.

Journal editorial office: The contact point for authors concerning matters related to the publication of their manuscripts. Contact information for the journal editorial offices may be found on the journal websites under the "About" tab.

Linking to the Version of Record (VOR): To create a link to your article in an AIP Publishing journal or proceedings, you need to know the CrossRef digital object identifier (doi). You can find the doi on the article's abstract page. For instructions on linking, please refer to our Web Posting Guidelines at <https://publishing.aip.org/authors/web-posting-guidelines>.

National Laboratories: National laboratories are sponsored and funded by the U.S. Government but have independent nonprofit affiliations and employ private sector resources. These institutions are classified as Federally Funded Research and Development Centers (FFRDCs). Authors working at FFRDCs are not

considered U.S. Government employees for the purposes of copyright. The Master Government List of FFRDCs may be found at <http://www.nsf.gov/statistics/ffrclist/>.

Personal web page: A web page that is hosted by the author or the author's institution and is dedicated to the author's personal research interests and publication history. An author's profile page on a social media site or scholarly collaboration network site is *not* considered a personal web page. (See also: Scholarly Collaboration Network; Employer's web page).

Peer X-Press: A web-based manuscript submission system by which authors submit their manuscripts to AIP Publishing for publication, communicate with the editorial offices, and track the status of their submissions. The Peer X-Press system provides a fully electronic means of completing the License to Publish. A hard copy of the Agreement will be supplied by the editorial office if the author is unable to complete the electronic version of the form. (Conference Proceedings authors will continue to submit their manuscripts and forms directly to the Conference Editors.)

Preprint: A version of an author's manuscript intended for publication but that has not been peer reviewed and does not reflect any editorial input or publisher enhancements.

Professional Publication Ethics: AIP Publishing provides information on what it expects from authors in its "Statement of ethics and responsibilities of authors submitting to AIP Publishing journals" (<http://publishing.aip.org/authors/ethics>). AIP Publishing is also a member of the Committee on Publication Ethics (COPE) (<http://publicationethics.org/>), which provides numerous resources and guidelines for authors, editors, and publishers with regard to ethical standards and accepted practices in scientific publishing.

Scholarly Collaboration Network (SCN): Professional networking sites that facilitate collaboration among researchers as well as the sharing of data, results, and publications. SCNs include sites such as Academia.edu, ResearchGate, and Mendeley, among others.

Supplementary Material: Related material that has been judged by peer review as being relevant to the understanding of the article but that may be too lengthy or of too limited interest for inclusion in the article itself. Supplementary Material may include data tables or sets, appendixes, movie or audio clips, or other multimedia files.

U.S. Government employees: Authors working at Government organizations who author works as part of their official duties and who are not able to license rights to the Work, since no copyright exists. Government works are in the public domain within the United States.

Version of Record (VOR): The final published version of the article as it appears in the printed journal/proceedings or on the Scitation website. It incorporates all editorial input, is formatted in the publisher's standard style, and is usually viewed in PDF form.

Waiver: A request made to a university or institution to exempt an article from its open-access policy requirements. For example, a conflict will exist with any policy that requires the author to grant a nonexclusive license to the university or institution that enables it to license the Work to others. In all such cases, the Author must obtain a waiver, which shall be included in the manuscript file.

Work: The "Work" is considered all the material that comprises the article, including but not limited to the abstract, tables, figures, images, multimedia files that are directly embedded within the text, and the text itself. The Work does not include the Supplementary Material (see Supplementary Material above).

Work Made for Hire: Under copyright law, a work prepared by an employee within the scope of employment, or a work that has been specially ordered or commissioned for which the parties have agreed in writing to consider as a Work Made for Hire. The hiring party or employer is considered the author and owner of the copyright, not the person who creates the work.

LICENSE TERMS DEFINED

Accepted Manuscript (AM): The final version of an author's manuscript that has been accepted for publication and incorporates all the editorial changes made to the manuscript after submission and peer review. The AM does not yet reflect any of the publisher's enhancements to the work such as copyediting, pagination, and other standard formatting.

arXiv: An electronic archive and distribution server for research article preprints in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, and statistics, which is owned and operated by Cornell University, <http://arxiv.org>.

Commercial and noncommercial scholarly use: Noncommercial scholarly uses are those that further the research process for authors and researchers on an individual basis for their own personal purposes. They are author-to-author interactions meant for the exchange of ideas. *Commercial* uses fall outside the author-to-author exchange and include but are not limited to the copying or distribution of an article, either in hard copy form or electronically, for resale or licensing to a third party; posting of the AM or VOR of an article by a site or service where an access fee is charged or which is supported by commercial paid advertising or sponsorship; use by a for-profit entity for any type of promotional purpose. Commercial uses require the permission of AIP Publishing.

Embargo period: The period of time during which free access to the full text of an article is delayed.

Employer's web page: A web page on an employer's site that highlights the accomplishments and research interests of the company's employees, which usually includes their publications. (See also: Personal web page and Scholarly Collaboration Network).

Exclusive License to Publish: An exclusive license to publish is a written agreement in which the copyright owner gives the publisher exclusivity over certain inherent rights associated with the copyright in the work. Those rights include the right to reproduce the work, to distribute copies of the work, to perform and display the work publicly, and to authorize others to do the same. The publisher does not hold the copyright to the work, which continues to reside with the author. The terms of the AIP Publishing License to Publish encourage authors to make full use of their work and help them to comply with requirements imposed by employers, institutions, and funders.

Full Credit Line: AIP Publishing's preferred format for a credit line is as follows (you will need to insert the specific citation information in place of the capital letters): "Reproduced from [FULL CITATION], with the permission of AIP Publishing." A FULL CITATION would appear as: Journal abbreviation, volume number, article ID number or page number (year). For example: Appl. Phys. Lett. 107, 021102 (2015).

Institutional repository: A university or research institution's digital collection of articles that have been authored by its staff and which are usually made publicly accessible. As authors are encouraged and sometimes required to include their published articles in their institution's repository, the majority of publishers allow for deposit of the Accepted Manuscript for this purpose. AIP Publishing also allows for the VOR to be deposited 12 months after publication of the Work.

Journal editorial office: The contact point for authors concerning matters related to the publication of their manuscripts. Contact information for the journal editorial offices may be found on the journal websites under the "About" tab.

Linking to the Version of Record (VOR): To create a link to your article in an AIP Publishing journal or proceedings, you need to know the CrossRef digital object identifier (doi). You can find the doi on the article's abstract page. For instructions on linking, please refer to our Web Posting Guidelines at <https://publishing.aip.org/authors/web-posting-guidelines>.

National Laboratories: National laboratories are sponsored and funded by the U.S. Government but have independent nonprofit affiliations and employ private sector resources. These institutions are classified as Federally Funded Research and Development Centers (FFRDCs). Authors working at FFRDCs are not

considered U.S. Government employees for the purposes of copyright. The Master Government List of FFRDCs may be found at <http://www.nsf.gov/statistics/ffrclist/>.

Personal web page: A web page that is hosted by the author or the author's institution and is dedicated to the author's personal research interests and publication history. An author's profile page on a social media site or scholarly collaboration network site is *not* considered a personal web page. (See also: Scholarly Collaboration Network; Employer's web page).

Peer X-Press: A web-based manuscript submission system by which authors submit their manuscripts to AIP Publishing for publication, communicate with the editorial offices, and track the status of their submissions. The Peer X-Press system provides a fully electronic means of completing the License to Publish. A hard copy of the Agreement will be supplied by the editorial office if the author is unable to complete the electronic version of the form. (Conference Proceedings authors will continue to submit their manuscripts and forms directly to the Conference Editors.)

Preprint: A version of an author's manuscript intended for publication but that has not been peer reviewed and does not reflect any editorial input or publisher enhancements.

Professional Publication Ethics: AIP Publishing provides information on what it expects from authors in its "Statement of ethics and responsibilities of authors submitting to AIP Publishing journals" (<http://publishing.aip.org/authors/ethics>). AIP Publishing is also a member of the Committee on Publication Ethics (COPE) (<http://publicationethics.org/>), which provides numerous resources and guidelines for authors, editors, and publishers with regard to ethical standards and accepted practices in scientific publishing.

Scholarly Collaboration Network (SCN): Professional networking sites that facilitate collaboration among researchers as well as the sharing of data, results, and publications. SCNs include sites such as Academia.edu, ResearchGate, and Mendeley, among others.

Supplementary Material: Related material that has been judged by peer review as being relevant to the understanding of the article but that may be too lengthy or of too limited interest for inclusion in the article itself. Supplementary Material may include data tables or sets, appendixes, movie or audio clips, or other multimedia files.

U.S. Government employees: Authors working at Government organizations who author works as part of their official duties and who are not able to license rights to the Work, since no copyright exists. Government works are in the public domain within the United States.

Version of Record (VOR): The final published version of the article as it appears in the printed journal/proceedings or on the Scitation website. It incorporates all editorial input, is formatted in the publisher's standard style, and is usually viewed in PDF form.

Waiver: A request made to a university or institution to exempt an article from its open-access policy requirements. For example, a conflict will exist with any policy that requires the author to grant a nonexclusive license to the university or institution that enables it to license the Work to others. In all such cases, the Author must obtain a waiver, which shall be included in the manuscript file.

Work: The "Work" is considered all the material that comprises the article, including but not limited to the abstract, tables, figures, images, multimedia files that are directly embedded within the text, and the text itself. The Work does not include the Supplementary Material (see Supplementary Material above).

Work Made for Hire: Under copyright law, a work prepared by an employee within the scope of employment, or a work that has been specially ordered or commissioned for which the parties have agreed in writing to consider as a Work Made for Hire. The hiring party or employer is considered the author and owner of the copyright, not the person who creates the work.