

3rd International Conference Advanced Mechanics: Structure, Materials, Tribology

Numerical Calculation of Torsional Vibrations During the Interaction of a Circular Cylindrical Shell With a Viscous Liquid

AIPCP25-CF-AMSMT2025-00036 | Article

PDF auto-generated using **ReView**



Numerical Calculation of Torsional Vibrations During the Interaction of a Circular Cylindrical Shell With a Viscous Liquid

Khudaynazar Akhatov^{1,a)}, Dilshod Kholikov^{2,b)}, Kamola Haydarova^{3,c)}, Elbek A. Ismoilov^{3,d)}, Ibrokhim Madatov^{3,e)}

¹ Urgut branch Samarkand State University, Uzbekistan

² Samarkand campus of Zarmed University, Uzbekistan

³ Samarkand State University, Uzbekistan

^{a)} khudoynazar92@gmail.com,

^{b)} dilshodxoliqov2586@mail.ru,

^{d)} Corresponding author: eismoilov.samsu@gmail.com,

^{e)} ibrokhimmadatov@gmail.com

Abstract. The article is devoted to the study of the propagation of a torsion wave in a cylindrical shell interacting with an internal liquid. In this case, the equations of the torsional oscillations of a cylindrical shell interacting with a viscous liquid, obtained in the authors' earlier works, were used as the equations of oscillations. The problems were solved numerically using an undisclosed scheme. The state of extensibility and deformability of sections of a cylindrical shell is determined. The influence of fluid flow and geometric parameters of the shell on the wave propagation process is investigated.

INTRODUCTION

It is known that questions of hydraulic elasticity are posed on the basis of dynamic and kinematic conditions on the contact surface of a solid and a liquid. In the mathematical formulation of problems on torsional vibrations of elements of engineering structures interacting with a viscous liquid, it is necessary to take into account the equality of torsional stresses on this surface, and also to use the Neve-Stokes equation for the movement of the liquid. However, a general solution to this equation has not yet been found. Therefore, the number of works devoted to the study of the influence of liquid on the torsional vibrations of round cylindrical shells and rods is small. In this sense [1,2] studies have examined the influence of a viscous fluid on the process of propagation of a vortex wave on a circular rod. The problem of flutter and divergence of rotational oscillations of a thin cylindrical shell interacting with a fluid moving in the direction of the axis was considered in [3]. Freely rotating vibrations of a cylindrical shell filled with a viscous fluid were studied in [4].

METHOD OF RESEARCH

Consider a cylindrical shell at rest, with inner radius a , outer radius a_1 , length l , acting internally with a viscous fluid in a cylindrical coordinate system (r, θ, z) . A kinematic impact, designated as $g(t)$, with an amplitude of $z=0$ is applied to the free end of the shell. Let the parameters of the stress-strain state of an arbitrary section of a round cylindrical shell in contact with a viscous liquid be determined depending on the spatial coordinate z and time t .

To solve the problem, we will use the system of equations for torsional vibrations of a round cylindrical two-layer shell interacting with internal flows of a viscous fluid, created in work [5]

$$\begin{aligned}
& \frac{a_1^2}{4a_2^2} \left[4 + h_1 (2a_1 + h_1) \lambda_1 + \frac{a_1^2 h_1}{4} (2a_1 + h_1) \lambda_1^2 \right] \cdot \left\{ \frac{2 \sum_{n=0}^{\infty} \frac{(a_2/2)^{2n+2}}{n!(n+2)!} \lambda_0^{2n+1} \tilde{u}_{\theta,0}^{(0)} +}{\xi \left[\frac{1}{2} \lambda_0 - \frac{2}{r_2^2} + \sum_{n=0}^{\infty} \eta_{2,n}(a_2) \frac{(a_2/2)^{2n+2}}{n!(n+2)!} \lambda_0^2 \right]} \tilde{u}_{\theta,1}^{(0)} \right\} = \bar{M}_{\mu_1}^{-1} [f_{r\theta}^{(2)}(k, p)]. \\
& 2 \sum_{n=0}^{\infty} \lambda_0^{n+1} \left[\frac{a}{2} \lambda_0 - (n+2) \frac{\mu' a}{6} M_{\mu_0}^{-1} q \delta_0 \right] \frac{(a/2)^{2n+1}}{n!(n+2)!} u_{\theta,0}^{(0)} + \\
& \xi \left[\frac{1}{2} \lambda_0 - \frac{2}{a^2} - \frac{\mu'}{6} \bar{M}_{\mu_0}^{-1} q \delta_0 + \sum_{n=0}^{\infty} \left[\frac{a}{2} \lambda_0^2 \eta_{2,n}(a) - (n+2) \frac{\mu' a}{6} \bar{M}_{\mu_0}^{-1} \eta_{1,n}(a) q \delta_0 \lambda_0 \right] \frac{(a/2)^{2n+1}}{n!(n+2)!} \lambda_0^n \right] u_{\theta,1}^{(0)} = 0
\end{aligned} \quad (1)$$

where $\xi = \frac{r_1 + r_2}{2}$ is the radius of the average surface of the shell; μ is the displacement coefficient; ρ is the density of the shell material; ρ'_0 is the internal density of the liquid; μ' is the dynamic viscosity coefficient of the internal liquid. h is the thickness.

Let us limit ourselves if in the system of equations (1) only the first terms of the infinite series are equal to $n=0$ and if we say that $a_1=a_2$ is equal, then we get the following system of equations

$$\begin{aligned}
& \left[\frac{a_1^2}{4} \lambda_0 u_{\theta,0}^{(0)} + \xi \left(\frac{1}{2} \left(\lambda_0 - \frac{4}{r_1^2} \right) + \frac{a_1^2}{8} \left(\ln \frac{a_1}{\xi} - \frac{1}{4} \right) \lambda_0^2 \right) u_{\theta,1}^{(0)} \right] = \bar{M}_{\mu_1}^{-1} [f_{r\theta}^{(2)}(k, p)]. \\
& \left(\frac{a^2}{4} \lambda_0 - \frac{\mu' a^2}{6} \bar{M}_{\mu_0}^{-1} q \delta_0 \right) u_{\theta,0}^{(0)} + \xi \left(\frac{1}{2} \left(\lambda_0 - \frac{4}{a^2} \right) + \frac{a^2}{8} \left(\ln \frac{a}{\xi} - \frac{1}{4} \right) \lambda_0^2 - \frac{\mu'}{6} \bar{M}_{\mu_0}^{-1} q \delta_0 - \frac{\mu' a^2}{12} \bar{M}_{\mu_0}^{-1} \ln \frac{a}{\xi} q \delta_0 \lambda_0 \right) u_{\theta,1}^{(0)} = 0
\end{aligned} \quad (2)$$

Assuming that these equations satisfy the conditions depending on the application domain [6], we discard the extremes that involve derivatives of an order of magnitude greater than two in time. We also assume that the crust is thin-walled. λ_m^n and δ_m^n ($m=0,1; n=1,2,3,\dots$).

$$\begin{aligned}
& \lambda_m^n(\zeta) = \left[\frac{1}{b_m^2} M_m^{-1} \left(\frac{\partial^2 \zeta}{\partial t^2} \right) - \frac{\partial^2 \zeta}{\partial t^2} \right]^n, \\
& q \delta_0 = \left(\frac{1}{\nu'} \frac{\partial^2}{\partial t^2} - \frac{\partial^3}{\partial t \partial z^2} \right), m=0,1; n=0,1,2,\dots
\end{aligned} \quad (3)$$

$b_m = \sqrt{\mu_m / \rho_m}$ - the speed of propagation of a transverse wave in an elastic medium.

As a result, we obtain the following system of partial differential equations

$$\begin{aligned}
& \left\{ \frac{a_1^2}{4} (1 - N_0(\omega)) \left(\frac{1}{b_0^2} \frac{\partial^2}{\partial t^2} - (1 - N_0(\omega)) \frac{\partial^2}{\partial z^2} \right) u_{\theta,0}^{(0)} + \xi \left[\frac{1}{2} (1 - N_0(\omega)) \left(\frac{1}{b_0^2} \frac{\partial^2}{\partial t^2} - (1 - N_0(\omega)) \frac{\partial^2}{\partial z^2} \right) - \right. \right. \\
& \left. \left. - \frac{2}{a_1^2} (1 - N_0(\omega))^2 + \frac{a_1^2}{8} \left(\ln \frac{a_1}{\xi} - \frac{1}{4} \right) \left(\frac{1}{b_0^2} \frac{\partial^2}{\partial t^2} - (1 - N_0(\omega)) \frac{\partial^2}{\partial z^2} \right)^2 \right] u_{\theta,1}^{(0)} \right\} = 0 \\
& \left[\frac{a^2}{4} (1 - N_0(\omega)) \left(\frac{1}{b_0^2} \frac{\partial^2}{\partial t^2} - (1 - N_0(\omega)) \frac{\partial^2}{\partial z^2} \right) - \frac{\mu' a^2}{\mu} (1 - N_0(\omega)) \left(\frac{1}{\nu'} \frac{\partial^2}{\partial t^2} - \frac{\partial^3}{\partial t \partial z^2} \right) \right] u_{\theta,0}^{(0)} + \\
& + \xi \left[\frac{1}{2} (1 - N_0(\omega)) \left(\frac{1}{b_0^2} \frac{\partial^2}{\partial t^2} - (1 - N_0(\omega)) \frac{\partial^2}{\partial z^2} \right) - \frac{2}{a^2} (1 - N_0(\omega))^2 + \frac{a^2}{8} \left(\ln \frac{a}{\xi} - \frac{1}{4} \right) \left(\frac{1}{b_0^2} \frac{\partial^2}{\partial t^2} - (1 - N_0(\omega)) \frac{\partial^2}{\partial z^2} \right)^2 - \right. \\
& \left. - \frac{\mu'}{6\mu} (1 - N_0(\omega)) \left(\frac{1}{\nu'} \frac{\partial^2}{\partial t^2} - \frac{\partial^3}{\partial t \partial z^2} \right) - \frac{\mu' a^2}{\mu} \ln \frac{a}{\xi} \left(\frac{1}{\nu'} \frac{\partial^2}{\partial t^2} - \frac{\partial^3}{\partial t \partial z^2} \right) \left(\frac{1}{b_0^2} \frac{\partial^2}{\partial t^2} - (1 - N_0(\omega)) \frac{\partial^2}{\partial z^2} \right) \right] u_{\theta,1}^{(0)} = 0
\end{aligned} \quad (4)$$

In the problem we are considering, we consider the shell as thin-walled, and also move on to dimensionless variables using the formulas below [7,8]

$$t = t^* \frac{\xi}{b_0}; z = z^* \xi; u_{\theta,1}^{(0)} = u_{\theta,1}^{*(0)}; u_{\theta,0}^{(0)} = \xi u_{\theta,0}^{*(0)}; a = \xi a^*; a_1 = \xi a_1^*; \mu' = \frac{\mu}{b_0^2} \mu^* \quad (5)$$

As a result, we obtain the following system of partial differential equations

$$\begin{aligned} & \frac{1}{2}(1-N_0(\omega)) \left(1 + \frac{a_1^2}{2} \right) \frac{\partial^2 u_{\theta,0}^{(0)}}{\partial t^2} - \frac{1}{2}(1-N_0(\omega)) \left(1 + \frac{a_1^2}{2} (1-N_0(\omega)) \right) \frac{\partial^2 u_{\theta,0}^{(0)}}{\partial z^2} + \\ & + \frac{1}{2}(1-N_0(\omega)) \frac{\partial^2 u_{\theta,1}^{(0)}}{\partial t^2} - \frac{1}{2}(1-N_0(\omega))^2 \frac{\partial^2 u_{\theta,1}^{(0)}}{\partial z^2} - \frac{2}{r_1^2} (1-N_0(\omega))^2 u_{\theta,1}^{(0)} = 0 \\ & \frac{a^2}{2}(1-N_0(\omega)) \left(\frac{1}{2} - \frac{1}{3} \rho' \right) \frac{\partial^2 u_{\theta,0}^{(0)}}{\partial t^2} - \frac{a^2}{6}(1-N_0(\omega)) \mu' \frac{\partial^3 u_{\theta,0}^{(0)}}{\partial t \partial z^2} - \frac{a^2}{4}(1-N_0(\omega))^2 \frac{\partial^2 u_{\theta,0}^{(0)}}{\partial z^2} + \\ & + (1-N_0(\omega)) \left(\frac{1}{2} - \rho' \right) \frac{\partial^2 u_{\theta,1}^{(0)}}{\partial t^2} + (1-N_0(\omega)) \mu' \frac{\partial^3 u_{\theta,1}^{(0)}}{\partial t \partial z^2} - \frac{a^2}{4}(1-N_0(\omega))^2 \frac{\partial^2 u_{\theta,1}^{(0)}}{\partial z^2} = 0 \end{aligned} \quad (6)$$

$N_m(\omega)$ - viscoelastic material layer operator [9].

We use the obtained equations (6) to solve the problem

$$\begin{aligned} & a_1 \frac{\partial^2 u_{\theta,0}^{(0)}}{\partial t^2} + a_2 \frac{\partial^2 u_{\theta,0}^{(0)}}{\partial z^2} + a_3 \frac{\partial^2 u_{\theta,1}^{(0)}}{\partial t^2} + a_4 \frac{\partial^2 u_{\theta,1}^{(0)}}{\partial z^2} + a_5 u_{\theta,1}^{(0)} = 0 \\ & b_1 \frac{\partial^2 u_{\theta,0}^{(0)}}{\partial t^2} + b_2 \frac{\partial^3 u_{\theta,0}^{(0)}}{\partial t \partial z^2} + b_3 \frac{\partial^2 u_{\theta,0}^{(0)}}{\partial z^2} + b_4 \frac{\partial^2 u_{\theta,1}^{(0)}}{\partial t^2} + b_5 \frac{\partial^3 u_{\theta,1}^{(0)}}{\partial t \partial z^2} + b_6 \frac{\partial^2 u_{\theta,1}^{(0)}}{\partial z^2} + b_7 u_{\theta,1}^{(0)} = 0 \end{aligned} \quad (7)$$

We get a system of equations. Here

$$\begin{aligned} & a_1 = \frac{1}{2}(1-N_0(\omega)) \left(1 + \frac{a_1^2}{2} \right); a_2 = -\frac{1}{2}(1-N_0(\omega)) \left(1 + \frac{a_1^2}{2} (1-N_0(\omega)) \right); a_3 = \frac{1}{2}(1-N_0(\omega)); a_4 = -\frac{1}{2}(1-N_0(\omega))^2; a_5 = -\frac{2}{a_1^2}(1-N_0(\omega))^2; \\ & b_1 = \frac{a^2}{2}(1-N_0(\omega)) \left(\frac{1}{2} - \frac{1}{3} \frac{\rho'}{\rho} \right); b_2 = -\frac{a^2}{4}(1-N_0(\omega))^2; b_3 = -\frac{a^2}{4} \frac{\mu'}{b} (1-N_0(\omega))^2; b_4 = (1-N_0(\omega)) \left(\frac{1}{2} - \frac{\rho'}{\rho} \right) \\ & b_5 = -\frac{1}{2}(1-N_0(\omega))^2; b_6 = -\frac{1}{2} \frac{\mu'}{b} (1-N_0(\omega))^2; b_7 = -\frac{2}{a^2}(1-N_0(\omega))^2; \end{aligned}$$

Let us assume that one end of the shell is kinematically excited and the other end is tightly tightened. Then the boundary conditions [10]

$$\begin{aligned} & z = 0, \quad u_{\theta,0}^{(0)} = f(t, t_1) = \begin{cases} A \sin\left(\frac{\pi t}{t_1}\right), & t \leq t_1 / 4; \\ 0, & t > t_1 / 4, \end{cases} \\ & z = l, \quad u_{\theta,0}^{(0)} = 0. \end{aligned} \quad (8)$$

will be in the field of view, where A is the amplitude, t_1 is the observation time, l is the dimensionless length. Let's assume that the initial conditions are zero, that is,

$$t = 0, \quad u_{\theta,0}^{(0)} = \frac{\partial u_{\theta,0}^{(0)}}{\partial t} = 0 \quad (9)$$

RESULTS AND DISCUSSION

We will determine the numerical solution of equation (7) of the problem under consideration using the mathematical package of the Maple-17 program, in which conditions (8) and (9) are specified. The calculation results showed that without taking into account the influence of the liquid, the equation of oscillations is reduced to the classical wave equation, therefore, for the shell, the thickness and dimensions of the average radius of the surface become less important. Therefore, we will present the results only for those cases where the internal liquid is taken into account. For the calculations, the physical, mechanical and geometric parameters of the shell material were selected, such as $\rho = 7850 \text{ kg/m}^3$, $\nu = 0.25$, $E = 2 \cdot 10^{11} \text{ Pa}$, $l = 10 \text{ m}$. Varnish is obtained in the form of a viscous liquid inside the shell (kerosene, heavy oil). The ratio of the liquid density to the density of the shell material is determined

as $\eta = \rho'/\rho$. The constructed graphs of the tortuous migration of points of shell U_θ are presented below in Figure 1 and Figure 2.




FIGURE 1. Graphs of time-dependent shifts of turns of $\eta = \rho/\rho'$ points ($R = 0.02$ m) at the edges of different sections of the shell a) $z = 0.2$, b) $z = 0.4$, c) $z = 0.6$, d) $z = 0.8$, for different values.

Figure 1 shows graphs of time-dependent changes in points of different sections ($z = 0.2, 0.4, 0.6, 0.8$) of a circular cylindrical shell interacting with a viscous liquid, at $\eta = \rho/\rho'$, i.e., with a viscous liquid, and at U_θ , not counting the viscous liquid. The graphs are sinusoidal in nature, regardless of the section they are in. It follows that the cylindrical is a consequence of the fact that the kinematic impact transmitted from one end of the shell is transmitted through a sinusoidal function. The displacement of the point of a circular cylindrical shell is explained by the fact that the excitations have a sinusoidal wave character, and the kinematic impact is a harmonic function. This means that the migration graph disappears over time. Without taking into account the influence of the viscous liquid, the displacement of the point of the cylindrical shell U_θ to its greatest value of 1.049004 in section $z=0.4$ (Figure 1b) reaches.

The presented Figure 2 shows graphs of coordinate-dependent changes in the displacements of turns U_θ in the presence of a viscous liquid and in the absence of liquid at time points ($t = 0.2, 0.4, 0.6, 0.8$). As can be seen, the presence of an external force leads to a significant increase in the torsion amplitude. As can be seen from the graphs (Figure 2. a), b), c), d)) the changes in the migration torsion along the longitudinal coordinate are also sinusoidal. Since there is a viscous fluid flow inside the cylindrical shell, the amplitudes of the migration torsion are sharply reduced at any time, i.e. the fluid flow causes the oscillations to disappear.




FIGURE 2. Graphs of coordinate-dependent variations of torsional U_θ displacements of points of different sections of the shell
a) $t = 0.2$, b) $t = 0.4$, c) $t = 0.6$, d) $t = 0.8$, for different values of $\eta = \rho/\rho'$.

CONCLUSION

Thus, the work proposed an algorithm for a numerical solution using an undisclosed representation of the problem of torsion wave propagation in a circular cylindrical shell, the internal connection of which interacts with a fluid flow, and created a software tool. Migration graphs in the deformation-deformed state of circular cylindrical cross-sections of shells were constructed. The influence of the viscous fluid flow and geometric parameters of the shell on the wave propagation process was studied.

REFERENCES

1. J. O. Kim, Y. Wang, H. H. Bau, The Effect of an Adjacent Viscous Fluid on the Transmission of Torsional Stress Waves in a Submerged Waveguide, *Journal of the Acoustical Society of America*, **89**, 1414-1422 (1991). <https://doi.org/10.1121/1.400541>
2. J. O. Kim, H.Y. Chun, Interaction between the torsional vibration of a circular rod and an adjacent viscous fluid. *Journal of Vibration and Acoustics*, **125**, 39-45 (2003). <https://doi.org/10.1115/1.1525004>
3. M.P. Païdoussis, *Fluid-Structure Interactions: Slender Structures and Axial flow*, (London, Academic Press, 1998).
4. X. X. Худойназаров, Ш. М. Буркутбоев, Влияние движущейся вязкой жидкости на крутильные колебания цилиндрической оболочки, *Механика муаммолари ўзбек журнали*, **5-6**, 42-46 (2005).
5. R. I. Khalmuradov, B. F. Yalgashev, Kh. N. Akhatov, Frequency analysis of free torsional vibrations of a three-layer cylindrical viscoelastic shell, *AIP Conference Proceedings*, **3119**, 020004 (2024). <https://doi.org/10.1063/5.0218212>
6. X. X. Худойназаров, Нестационарное взаимодействие цилиндрических оболочек и стержней с деформируемой средой, Ташкент: Изд. им. Абу Али ибн Сино, (2003).
7. Kh. Khudoynazarov, Kh. Akhatov, Free torsional vibrations of a three-layer viscoelastic cylindrical structure, *AIP Conference Proceedings*, **3244**, 060031 (2024). <https://doi.org/10.1063/5.0242032>

8. R. Khalmurodov, Kh. Ismoilov, Z. Khudayberdiyev, B. Babajanov, Vibration of a circular truncated conical shell interacting with a deformable medium, AIP Conference Proceedings, **3177**, 050011 (2025).
<https://doi.org/10.1063/5.0295160>
9. Khayrulla Khudoynazarov, Kazokboy Mamasoliyev, Elbek Ismoilov. Non-stationary influence of a transverse-isotropic cylindrical shell with a viscous compressed fluid/AIP Conf. Proc. 3177, 050005 (2025)
<https://doi.org/10.1063/5.0294882>
10. Kazokboy Mamasoliev, Mirziyod Mirsaidov. Mathematical model and analytical solution of the contact problem of bending a slab lying on an inhomogeneous combined base/ AIP Conf. Proc. 3177, 050006 (2025),
<https://doi.org/10.1063/5.0295291>



LICENSE TO PUBLISH AGREEMENT FOR CONFERENCE PROCEEDINGS

This License to Publish must be signed and returned to the Proceedings Editor before the manuscript can be published. If you have questions about how to submit the form, please contact the AIP Publishing Conference Proceedings office (confproc@aip.org). For questions regarding the copyright terms and conditions of this License, please contact AIP Publishing's Office of Rights and Permissions, 1305 Walt Whitman Road, Suite 300, Melville, NY 11747-4300 USA; Phone 516-576-2266; Email: rights@aip.org.

Article Title ("Work"):

Numerical Calculation of Torsional Vibrations During the
Interaction of a Circular Cylindrical Shell With a Viscous
Liquid

All Author(s):

Khudaynazar Akhatov, Dilshod Kholikov

Kamola Haydarova, Elbek Ismoilov

Ibrokhim Madatov

Title of Conference: AMSMT2025

Name(s) of Editor(s): Valentin L. Popov

All Copyright Owner(s), if not Author(s):

(Please list all copyright owner(s) by name. In the case of a Work Made for Hire, the employer(s) or commissioning party(ies) are the copyright owner(s). For large groups of copyright owners, attach a separate list to this form.)

Copyright Ownership and Grant of Rights

For the purposes of this License, the "Work" consists of all content within the article itself and made available as part of the article, including but not limited to the abstract, tables, figures, graphs, images, and multimedia files, as well as any subsequent errata. "Supplementary Material" consists of material that is associated with the article but linked to or accessed separately (available electronically only), including but not limited to data sets and any additional files.

This Agreement is an Exclusive License to Publish not a Transfer of Copyright. Copyright to the Work remains with the Author(s) or, in the case of a Work Made for Hire, with the Author(s)' employer(s). AIP Publishing LLC shall own and have the right to register in its name the copyright to the proceedings issue or any other collective work in which the Work is included. Any rights granted under this License are contingent upon acceptance of the Work for publication by AIP Publishing. If for any reason and at its own discretion AIP Publishing decides not to publish the Work, this License is considered void.

Each Copyright Owner hereby grants to AIP Publishing LLC the following irrevocable rights for the full term of United States and foreign copyrights (including any extensions):

1. The exclusive right and license to publish, reproduce, distribute, transmit, display, store, translate, edit, adapt, and create derivative works from the Work (in whole or in part) throughout the world in all formats and media whether now known or later developed, and the nonexclusive right and license to do the same with the Supplementary Material.
2. The right for AIP Publishing to freely transfer and/or sublicense any or all of the exclusive rights listed in #1 above. Sublicensing includes the right to authorize requests for reuse of the Work by third parties.
3. The right for AIP Publishing to take whatever steps it considers necessary to protect and enforce, at its own expense, the exclusive rights granted herein against third parties.

Author Rights and Permitted Uses

Subject to the rights herein granted to AIP Publishing, each Copyright Owner retains ownership of copyright and all other proprietary rights such as patent rights in the Work.

Each Copyright Owner retains the following nonexclusive rights to use the Work, without obtaining permission from AIP Publishing, in keeping with professional publication ethics and provided clear credit is given to its first publication in an AIP Publishing proceeding. Any reuse must include a full credit line acknowledging AIP Publishing's publication and a link to the Version of Record (VOR) on AIP Publishing's site.

Each Copyright Owner may:

1. Reprint portions of the Work (excerpts, figures, tables) in future works created by the Author, in keeping with professional publication ethics.
2. Post the Accepted Manuscript (AM) to their personal web page or their employer's web page immediately after acceptance by AIP Publishing.
3. Deposit the AM in an institutional or funder-designated repository immediately after acceptance by AIP Publishing.

4. Use the AM for posting within scientific collaboration networks (SCNs). For a detailed description of our policy on posting to SCNs, please see our Web Posting Guidelines (<https://publishing.aip.org/authors/web-posting-guidelines>).
5. Reprint the Version of Record (VOR) in print collections written by the Author, or in the Author's thesis or dissertation. It is understood and agreed that the thesis or dissertation may be made available electronically on the university's site or in its repository and that copies may be offered for sale on demand.
6. Reproduce copies of the VOR for courses taught by the Author or offered at the institution where the Author is employed, provided no fee is charged for access to the Work.
7. Use the VOR for internal training and noncommercial business purposes by the Author's employer.
8. Use the VOR in oral presentations made by the Author, such as at conferences, meetings, seminars, etc., provided those receiving copies are informed that they may not further copy or distribute the Work.
9. Distribute the VOR to colleagues for noncommercial scholarly use, provided those receiving copies are informed that they may not further copy or distribute the Work.
10. Post the VOR to their personal web page or their employer's web page 12 months after publication by AIP Publishing.
11. Deposit the VOR in an institutional or funder-designated repository 12 months after publication by AIP Publishing.
12. Update a prior posting with the VOR on a noncommercial server such as arXiv, 12 months after publication by AIP Publishing.

Author Warranties

Each Author and Copyright Owner represents and warrants to AIP Publishing the following:

1. The Work is the original independent creation of each Author and does not infringe any copyright or violate any other right of any third party.
2. The Work has not been previously published and is not being considered for publication elsewhere in any form, except as a preprint on a noncommercial server such as arXiv, or in a thesis or dissertation.
3. Written permission has been obtained for any material used from other sources and copies of the permission grants have been supplied to AIP Publishing to be included in the manuscript file.
4. All third-party material for which permission has been obtained has been properly credited within the manuscript.
5. In the event that the Author is subject to university open access policies or other institutional restrictions that conflict with any of the rights or provisions of this License, such Author has obtained the necessary waiver from his or her university or institution.

This License must be signed by the Author(s) and, in the case of a Work Made for Hire, also by the Copyright Owners. One Author/Copyright Owner may sign on behalf of all the contributors/owners only if they all have authorized the signing, approved of the License, and agreed to be bound by it. The signing Author and, in the case of a Work Made for Hire, the signing Copyright Owner warrants that he/she/it has full authority to enter into this License and to make the grants this License contains.

1. The Author must please sign here (except if an Author is a U.S. Government employee, then please sign under #3 below):

Elbek Ismoilov 15.10.2025

Author(s) Signature Print Name Date

2. The Copyright Owner (if different from the Author) must please sign here:

Name of Copyright Owner Authorized Signature and Title Date

3. If an Author is a U.S. Government employee, such Author must please sign below. The signing Author certifies that the Work was written as part of his/her official duties and is therefore not eligible for copyright protection in the United States.

Name of U.S. Government Institution (e.g., Naval Research Laboratory, NIST)

Author Signature Print Name Date

PLEASE NOTE: NATIONAL LABORATORIES THAT ARE SPONSORED BY U.S. GOVERNMENT AGENCIES BUT ARE INDEPENDENTLY RUN ARE NOT CONSIDERED GOVERNMENT INSTITUTIONS. (For example, Argonne, Brookhaven, Lawrence Livermore, Sandia, and others.) Authors at these types of institutions should sign under #1 or #2 above.

If the Work was authored under a U.S. Government contract, and the U.S. Government wishes to retain for itself and others acting on its behalf, a paid-up, nonexclusive, irrevocable, worldwide license in the Work to reproduce, prepare derivative works from, distribute copies to the public, perform publicly, and display publicly, by or on behalf of the Government, please check the box below and add the relevant Contract numbers.

☐ Contract #(s) 11.16.11

LICENSE TERMS DEFINED

Accepted Manuscript (AM): The final version of an author's manuscript that has been accepted for publication and incorporates all the editorial changes made to the manuscript after submission and peer review. The AM does not yet reflect any of the publisher's enhancements to the work such as copyediting, pagination, and other standard formatting.

arXiv: An electronic archive and distribution server for research article preprints in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, and statistics, which is owned and operated by Cornell University, <http://arxiv.org/>.

Commercial and noncommercial scholarly use: Noncommercial scholarly uses are those that further the research process for authors and researchers on an individual basis for their own personal purposes. They are author-to-author interactions meant for the exchange of ideas. Commercial uses fall outside the author-to-author exchange and include but are not limited to the copying or distribution of an article, either in hard copy form or electronically, for resale or licensing to a third party; posting of the AM or VOR of an article by a site or service where an access fee is charged or which is supported by commercial paid advertising or sponsorship; use by a for-profit entity for any type of promotional purpose. Commercial uses require the permission of AIP Publishing.

Embargo period: The period of time during which free access to the full text of an article is delayed.

Employer's web page: A web page on an employer's site that highlights the accomplishments and research interests of the company's employees, which usually includes their publications. (See also: Personal web page and Scholarly Collaboration Network).

Exclusive License to Publish: An exclusive license to publish is a written agreement in which the copyright owner gives the publisher exclusivity over certain inherent rights associated with the copyright in the work. Those rights include the right to reproduce the work, to distribute copies of the work, to perform and display the work publicly, and to authorize others to do the same. The publisher does not hold the copyright to the work, which continues to reside with the author. The terms of the AIP Publishing License to Publish encourage authors to make full use of their work and help them to comply with requirements imposed by employers, institutions, and funders.

Full Credit Line: AIP Publishing's preferred format for a credit line is as follows (you will need to insert the specific citation information in place of the capital letters): "Reproduced from [FULL CITATION], with the permission of AIP Publishing." A FULL CITATION would appear as: Journal abbreviation, volume number, article ID number or page number (year). For example: Appl. Phys. Lett. 107, 021102 (2015).

Institutional repository: A university or research institution's digital collection of articles that have been authored by its staff and which are usually made publicly accessible. As authors are encouraged and sometimes required to include their published articles in their institution's repository, the majority of publishers allow for deposit of the Accepted Manuscript for this purpose. AIP Publishing also allows for the VOR to be deposited 12 months after publication of the Work.

Journal editorial office: The contact point for authors concerning matters related to the publication of their manuscripts. Contact information for the journal editorial offices may be found on the journal websites under the "About" tab.

Linking to the Version of Record (VOR): To create a link to your article in an AIP Publishing journal or proceedings, you need to know the CrossRef digital object identifier (doi). You can find the doi on the article's abstract page. For instructions on linking, please refer to our Web Posting Guidelines at <https://publishing.aip.org/authors/web-posting-guidelines>.

National Laboratories: National laboratories are sponsored and funded by the U.S. Government but have independent nonprofit affiliations and employ private sector resources. These institutions are classified as Federally Funded Research and Development Centers (FFRDCs). Authors working at FFRDCs are not

considered U.S. Government employees for the purposes of copyright. The Master Government List of FFRDCs may be found at <http://www.nsf.gov/statistics/ffrdclist/>.

Personal web page: A web page that is hosted by the author or the author's institution and is dedicated to the author's personal research interests and publication history. An author's profile page on a social media site or scholarly collaboration network site is *not* considered a personal web page. (See also: Scholarly Collaboration Network; Employer's web page).

Peer X-Press: A web-based manuscript submission system by which authors submit their manuscripts to AIP Publishing for publication, communicate with the editorial offices, and track the status of their submissions. The Peer X-Press system provides a fully electronic means of completing the License to Publish. A hard copy of the Agreement will be supplied by the editorial office if the author is unable to complete the electronic version of the form. (Conference Proceedings authors will continue to submit their manuscripts and forms directly to the Conference Editors.)

Preprint: A version of an author's manuscript intended for publication but that has not been peer reviewed and does not reflect any editorial input or publisher enhancements.

Professional Publication Ethics: AIP Publishing provides information on what it expects from authors in its "Statement of ethics and responsibilities of authors submitting to AIP Publishing journals" (<http://publishing.aip.org/authors/ethics>). AIP Publishing is also a member of the Committee on Publication Ethics (COPE) (<http://publicationethics.org/>), which provides numerous resources and guidelines for authors, editors, and publishers with regard to ethical standards and accepted practices in scientific publishing.

Scholarly Collaboration Network (SCN): Professional networking sites that facilitate collaboration among researchers as well as the sharing of data, results, and publications. SCNs include sites such as Academia.edu, ResearchGate, and Mendeley, among others.

Supplementary Material: Related material that has been judged by peer review as being relevant to the understanding of the article but that may be too lengthy or of too limited interest for inclusion in the article itself. Supplementary Material may include data tables or sets, appendixes, movie or audio clips, or other multimedia files.

U.S. Government employees: Authors working at Government organizations who author works as part of their official duties and who are not able to license rights to the Work, since no copyright exists. Government works are in the public domain within the United States.

Version of Record (VOR): The final published version of the article as it appears in the printed journal/proceedings or on the Scitation website. It incorporates all editorial input, is formatted in the publisher's standard style, and is usually viewed in PDF form.

Waiver: A request made to a university or institution to exempt an article from its open-access policy requirements. For example, a conflict will exist with any policy that requires the author to grant a nonexclusive license to the university or institution that enables it to license the Work to others. In all such cases, the Author must obtain a waiver, which shall be included in the manuscript file.

Work: The "Work" is considered all the material that comprises the article, including but not limited to the abstract, tables, figures, images, multimedia files that are directly embedded within the text, and the text itself. The Work does not include the Supplementary Material (see Supplementary Material above).

Work Made for Hire: Under copyright law, a work prepared by an employee within the scope of employment, or a work that has been specially ordered or commissioned for which the parties have agreed in writing to consider as a Work Made for Hire. The hiring party or employer is considered the author and owner of the copyright, not the person who creates the work.