

3rd International Conference Advanced Mechanics: Structure, Materials, Tribology

Stress State During Torsional Vibrations of a Truncated Circular Conical Shell in an Elastic medium

AIPCP25-CF-AMSMT2025-00058 | Article

PDF auto-generated using **ReView**



Stress State During Torsional Vibrations of a Truncated Circular Conical Shell in an Elastic Medium

Khursand Ismoilov^{1, a)}, Zokir Khudoyberdiyev^{2, b)}, Amirbek Begjanov^{3, c)}

^{1,2}*Department of theoretical and engineering mechanics Samarkand State University, 140104, University blv. 15, Samarkand city, Uzbekistan.*

³*Department of Algebra and mathematical engineering Urgench State University, Urgench, Uzbekistan.*

^{a)} Corresponding author: kh.ismoilov89@gmail.com

^{b)} xudoyberdiyevz@mail.ru

^{c)} amirbek_beg@mail.ru

Abstract. Truncated conical shells located in the environment are used in many areas of industry and construction. Therefore, determining their strength, determining the displacements and stresses of the cross-sectional points are considered urgent problems of mechanics. In this work, the refined equation derived by the authors is adopted as the torsional vibration equation of a circular truncated conical shell and the equation is solved using the finite difference method. The shear stresses on the conical surfaces are determined using the finite difference method and depicted in graphs.

INTRODUCTION

Circular truncated conical shells are one of the main elements of engineering structures. Determining the displacements and stresses in them is one of the current issues of modern mechanics. Determining the vibration of truncated conical structures, or FSC, is a complex issue. Mathematical modeling of torsional vibrations of elastic conical shells, which takes into account the forces on the inner and outer surfaces of the conical shells, is a more complex problem [1-4].

The study of the dynamic state of conical shells by deriving vibration equations is carried out based on the physical and mechanical properties of the material [5-7]. The development of a mathematical model of the vibrational motion process and the creation of a calculation algorithm provide a basis for drawing more precise conclusions about the process [8-11]. Most research studies are conducted based on refined equations of elasticity theory rather than classical theory [12].

Therefore, in [13], the equations of torsional vibration of a circularly truncated conical shell were derived based on the refined equations of elastic theory. In this work [14-15], the torsional vibration equations of a circularly truncated conical shell are numerically solved. A conical shell with an inner radius r_0 and a thickness h at a section $z=0$. Inner and outer radii of a conical shell $r_1 = r_0 + fz$ and $r_2 = r_0 + h + fz$.

PROBLEM FORMULATION

We consider a circular truncated conical shell in a cylindrical coordinate system $Or\theta z$. We consider the circular truncated conical shell to be located in a deformable medium. The angle between the axis of symmetry and the truncated conical shell is α (Figure 1). In this case, the components of the displacement and deformation tensor will not depend on the particle θ . In this case, U_θ of the displacement tensor components, $\varepsilon_{r\theta}$, $\varepsilon_{z\theta}$ of the strain tensor components, and $\sigma_{r\theta}$, $\sigma_{z\theta}$ of the stress tensor components are nonzero. To derive the torsional vibration equations of a circular truncated conical shell, we represent the displacements, deformations, and stresses in terms of ψ potential

functions. Substituting the expressions of the stresses in terms of potential functions into the equations of motion, we obtain the following.




FIGURE 1. Conical shell in an elastic medium

$$\mu(\Delta\Psi_m) = \rho\ddot{\Psi}_m, \quad m = 0, 1. \quad (1)$$

Boundary conditions

$$\begin{aligned} \sigma_{r\theta}^{(0)} - f\sigma_{z\theta}^{(0)} &= (1+f^2)f_{ns_1}^{(i)}(z, t), \quad r = r_1 \\ \sigma_{r\theta}^{(0)} - f\sigma_{z\theta}^{(0)} &= \sigma_{r\theta}^{(1)} - f\sigma_{z\theta}^{(1)} + (1+f^2)f_{ns_2}^{(i)}(z, t), \quad r = r_2 \end{aligned} \quad (2)$$

The initial condition is as follows:

$$U_\theta^{(0)}(r, z, t) \Big|_{r=r_2} = U_\theta^{(1)}(r, z, t) \Big|_{r=r_2} \quad (3)$$

The problem thus posed was reduced to solving eq. (1) with (2) boundary conditions and (3) initial conditions.

SOLUTION OF THE PROBLEM

By solving the problem, a system of differential equations for torsional vibrations of a circularly truncated conical shell located in a deformable medium is derived [15]. The complete derivation process is presented in the work.

$$\begin{aligned} &\left[a_{11} \frac{\partial^2}{\partial t^2} + a_{12} \frac{\partial^2}{\partial z^2} + a_{13} \frac{\partial}{\partial z} \right] U_{\theta 0}^{(0)} + \left\{ b_{11} \frac{\partial^3}{\partial z \partial t^2} + b_{12} \frac{\partial^3}{\partial z^3} + \right. \\ &\left. + b_{13} \frac{\partial^2}{\partial t^2} + b_{14} \frac{\partial^2}{\partial z^2} + b_{15} \frac{\partial}{\partial z} + b_{16} \right\} U_{\theta 0}^{(1)} = \left[1 + f^2 \right] \mu_0^{-1} \left[f_{ns_1}^{(i)}(z, t) \right]; \\ &\left[a_{21} \frac{\partial^2}{\partial t^2} + a_{22} \frac{\partial^2}{\partial z^2} + a_{23} \frac{\partial}{\partial t} + a_{24} \frac{\partial}{\partial z} + a_{25} \right] U_{\theta 0}^{(0)} + \left\{ b_{21} \frac{\partial^3}{\partial z \partial t^2} + b_{22} \frac{\partial^3}{\partial t \partial z^2} + b_{23} \frac{\partial^3}{\partial z^3} + \right. \\ &\left. + b_{24} \frac{\partial^2}{\partial t^2} + b_{25} \frac{\partial^2}{\partial z^2} + b_{26} \frac{\partial}{\partial t} + b_{27} \frac{\partial}{\partial z} + b_{28} \right\} U_{\theta 0}^{(1)} = \left[1 + f^2 \right] \mu_0^{-1} \left[f_{ns_2}^{(i)}(z, t) \right]; \end{aligned} \quad (4)$$

Here, coefficients a_{ij}, b_{ij} are constants depending on the geometric dimensions and physical parameters of the material. For example,

$$a_{11} = \frac{r_1^2}{4}; \dots \quad b_{11} = \frac{r_1^2}{8} \left(\ln r_1 - \frac{1}{4} \right); \dots$$

This equation (4) represents the equation of torsional vibration of a circular truncated conical shell located in a deformable medium. Using the finite difference method, we arrive at the following system of algebraic equations.

$$\begin{aligned} &A_{11}U_{i,j+1}^{(0)} + A_{12}U_{i,j}^{(0)} + A_{13}U_{i,j-1}^{(0)} + A_{14}U_{i+1,j}^{(0)} + A_{15}U_{i-1,j}^{(0)} + B_{11}U_{i,j+1}^{(1)} + B_{12}U_{i,j}^{(1)} + \\ &+ B_{13}U_{i,j-1}^{(1)} + B_{14}U_{i+1,j+1}^{(1)} + B_{15}U_{i+1,j}^{(1)} + B_{16}U_{i+1,j-1}^{(1)} + B_{17}U_{i-1,j+1}^{(1)} + \\ &+ B_{18}U_{i-1,j}^{(1)} + B_{19}U_{i-1,j-1}^{(1)} + B_{110}U_{i+2,j}^{(1)} = \left(1 + f^2 \right) \mu_0^{-1} f_{ns_1}^{(1)}(z, t); \\ &A_{21}U_{i,j+1}^{(0)} + A_{22}U_{i,j}^{(0)} + A_{23}U_{i,j-1}^{(0)} + A_{24}U_{i+1,j}^{(0)} + A_{25}U_{i-1,j}^{(0)} + B_{21}U_{i,j+1}^{(1)} + \\ &+ B_{22}U_{i,j}^{(1)} + B_{23}U_{i,j-1}^{(1)} + B_{24}U_{i+1,j+1}^{(1)} + B_{25}U_{i+1,j}^{(1)} + B_{26}U_{i+1,j-1}^{(1)} + \\ &+ B_{27}U_{i-1,j+1}^{(1)} + B_{28}U_{i-1,j}^{(1)} + B_{29}U_{i-1,j-1}^{(1)} + B_{210}U_{i+2,j}^{(1)} = \left(1 + f^2 \right) \mu_0^{-1} f_{ns_2}^{(1)}(z, t). \end{aligned} \quad (5)$$

Where A_{ij} and B_{ij} are coefficients and time and coordinate steps and are constants depending on.

For example,

$$A_{11} = \frac{a_{11}}{\tau^2}; A_{12} = -\frac{2a_{11}}{\tau^2} - \frac{2a_{12}}{h^2} - \frac{a_{13}}{h}; \dots$$

Similarly, we express the boundary conditions in finite difference terms as;

$$\begin{aligned} U_{i,0}^{(0)} &= 0; U_{i,1}^{(0)} - U_{i,0}^{(0)} = 0; U_{i,1}^{(0)} + 2U_{i,0}^{(0)} - U_{i,-1}^{(0)} = 0; \\ U_{i,0}^{(1)} &= 0; U_{i,1}^{(1)} - U_{i,0}^{(1)} = 0; U_{i,1}^{(1)} - U_{i,0}^{(1)} = 0. \end{aligned} \quad (6)$$

Boundary conditions at $z = 0$

$$U_{1,j}^{(0)} - U_{0,j}^{(0)} = -\frac{h \cdot M_0}{\mu_m I}; \quad U_{1,j}^{(1)} - U_{0,j}^{(1)} = -\frac{h \cdot M_0}{\mu_m I}; \quad (7)$$

Boundary conditions at $z = l$

$$U_{N,j}^{(0)} = 0; U_{N,j}^{(1)} = 0; U_{1,j}^{(0)} - U_{0,j}^{(0)} = 0; U_{1,j}^{(1)} - U_{0,j}^{(1)} = 0. \quad (8)$$

We solve the system of eqs. (5) – (8) together. We divide the time and coordinate interval into 20 step segments. To determine the displacements and stresses at the points of the cross section of the circular truncated conical shell, we also express the displacements and stresses in finite difference form:

$$U_\theta = rU_{\theta 0}^{(0)} + \frac{U_{\theta 0}^{(1)}}{r} + \frac{r}{2} \ln r \frac{\partial^2 U_{\theta 0}^{(1)}}{\partial t^2} - \frac{r}{2} \ln r \frac{\partial^2 U_{\theta 0}^{(1)}}{\partial z^2}. \quad (9)$$

$$\begin{aligned} \sigma_{r\theta}^{(0)} &= \frac{\mu_0 r^2}{4} \frac{\partial^2 U_{\theta 0}^{(0)}}{\partial t^2} - \frac{\mu_0 r^2}{4} \frac{\partial^2 U_{\theta 0}^{(0)}}{\partial z^2} - \frac{\mu_0 r^2}{4} \left(\ln r - \frac{1}{4} \right) \frac{\partial^4 U_{\theta 0}^{(1)}}{\partial t^2 \partial z^2} + \\ &+ \frac{\mu_0 r^2}{8} \left(\ln r - \frac{1}{4} \right) \frac{\partial^4 U_{\theta 0}^{(1)}}{\partial z^4} + \frac{\mu_0}{2} \frac{\partial^2 U_{\theta 0}^{(1)}}{\partial t^2} - \frac{\mu_0}{2} \frac{\partial^2 U_{\theta 0}^{(1)}}{\partial z^2} - \frac{2\mu_0}{r^2} U_{\theta 0}^{(1)}; \end{aligned} \quad (10)$$

$$\sigma_{z\theta}^{(0)} = \mu_0 r \frac{\partial U_{\theta 0}^{(0)}}{\partial z} + \frac{\mu_0}{r} \frac{\partial U_{\theta 0}^{(1)}}{\partial z} + \frac{\mu_0 r}{2} \ln r \frac{\partial^3 U_{\theta 0}^{(1)}}{\partial z \partial t^2} - \frac{\mu_0 r}{2} \ln r \frac{\partial^3 U_{\theta 0}^{(1)}}{\partial z^3}$$

RESULTS AND DISCUSSION

To solve the system of eqs. (5) – (8) together, we use the mathematical software package Maple 17. We assume the geometric and physical-mechanical characteristics of the conical shell and the external environment as follows;

The shell length is $0.8m$, the inner radius $0.03m$, the thickness is $0.005m$, the angle of deflection is 2° . The material of the conical shell is taken as steel ($E=2 \cdot 10^{11} \text{ Pa}$; $\nu=0.25$; $\rho=7850 \text{ kg/m}^3$), in the first case, and aluminum ($E=0.7 \cdot 10^{11} \text{ Pa}$; $\nu=0.35$; $\rho=2750 \text{ kg/m}^3$) in the second case. We assume that the deformable external environment is sand. For sand ($E=5 \cdot 10^7 \text{ Pa}$; $\nu=0.3$; $\rho=2000 \text{ kg/m}^3$)

Figure 2. shows a graph of the z -coordinate variation of the displacement vector component for different values of the torque applied to the $z=0$ end of a circularly truncated conical steel shell located in a sand environment when the angle of attack is 2° . This graph shows that when the value of the torque is 5 kNm , the maximum value of the displacement of U_θ is 0.002, when the value of the torque is 15 kNm , the maximum value of the displacement of U_θ is 0.0062, and when the value of the torque is 25 kNm , the maximum value of the displacement U_θ is 0.013.




FIGURE 2. Graph of the vector of the displacement component U_θ of a steel shell in sand as a function of the z coordinate at different values of the torque

At all values of the torque, the graphs of the U_θ displacement vector components begin to fade after passing through the section $z=0.3$. Now, to make the results more reliable, we will assume that the shell material is aluminum (Fig.3). Here too, we apply torques of 5 kNm , 15 kNm , 25 kNm and 1, respectively, to the free end of the conical shell at $z=0$.




FIGURE 3. Graph of the variation of the displacement component of an aluminium shell U_θ in sand as a function of the vector z coordinate at different values of the torque

The modulus of elasticity of the aluminum material shell is softer than that of the steel material. Therefore, the value of component U_θ of the displacement vector should be larger when the shell material is aluminum. Fig. 3. shows that the values of the displacement vector component are 0.0053 at the value of the torque 5 kNm , 0.018 at the value of 15 kNm , and 0.033 at the value of 25 kNm .




FIGURE 4. Graph of the variation of stresses in a shell aluminium in a sand environment as a function of the z coordinate.




FIGURE 5. Graph of the variation of stresses in a shell steel in a sand environment as a function of the z coordinate.

It can be seen from these that the values of displacement U_θ obtained when the shell material is aluminum are significantly larger than those obtained when the shell material is steel. For example, it can be seen that the value of the displacement of a conical shell made of steel at a torque of 15KNm is almost three times smaller than the value of the displacement of an aluminum shell.

Figure 4. shows the graph of the change of the stress vector component $\sigma_{r\theta}^{(0)}$ as a function of the z coordinate when the material of the circular truncated conical shell is aluminum and the external environment is sand. In this case, the angle of attack was 2° and the values of the turning moment increased. As the value of the turning moment increased, the points of the circular truncated conical shell had more stress.

Figure 5. shows the graph of the change of the stress vector component $\sigma_{r\theta}^{(0)}$ as a function of the z coordinate when the material of the circular truncated conical shell was copper. Figure 5. also shows that as the turning moment applied to the free end of the circular truncated conical shell $z=0$ increased, the stresses also increased.

CONCLUSIONS

The torsional vibration equation of a circular truncated conical shell located in a deformable medium was solved using the finite difference method. The displacements and stresses at the points of the truncated conical shell were depicted in graphs. From the graphs, it was concluded that the greater the density of the circular truncated conical shell material, the smaller the displacements and stresses in it.

REFERENCES

1. Kh. Khudoynazarov, Longitudinal-radial vibrations of a viscoelastic cylindrical three-layer structure. *Facta Universitatis, Series, Mechanical Engineering*, **22**(3), (2024). <https://doi.org/10.22190/FUME231219010K>
2. Y. Fang, Ch. Fan, Sh.F. Huang and Ch. Lui, Experimental study of active earth pressures on retaining walls adjacent to inclined rock faces. *Journal of Geoengineering*, **17**(4), 207-220, (2022).
3. Kh. Khudoynazarov, Tomsk State University Journal of Mathematics and Mechanics. **84**. pp. 152–166. (2023). doi: 10.17223/19988621/84/12
4. Kh. Khudoynazarov, *Journal of Samara State Technical University*, ser. Physical and Mathematical Sciences, Vol. **27**, No. 4, 2023, pp 702–722. (2002). <https://doi.org/10.14498/vsgtu>
5. S. Zhiyong, C.Qingjie, D.Qiyi, International Journal of Mechanical Sciences. Vol. **155**, pp. 286–294 (2019).
6. Le. Ch. Khanh. The Journal of the Acoustical Society of America. **109**(2): pp. 349–379 (2024).
7. R. Khalmurodov, Kh. Ismoilov, Frequency Analysis of Axisymmetric Vibrations of a Conical Shell in a Deformable Medium. *AIP Conf. Proc.* 3244, 060032, (2024). <https://doi.org/10.1063/5.0241498>
8. Kh. Khudoynazarov, K. Mamasoliev, E. Ismoilov, Non-stationary influence of a transverse-isotropic cylindrical shell with a viscous compressed fluid. *AIP Conference Proceedings*. 3177, 050005, (2025). <https://doi.org/10.1063/5.0294882>
9. K. Mamasoliev, M. Mirsaidov, Mathematical model and analytical solution of the contact problem of bending a slab lying on an inhomogeneous combined base, *AIP Conference Proceedings*, 3177, 050006, (2025). <https://doi.org/10.1063/5.0295291>
10. Z. Khudayberdiyev, Sh. Khudayberdiyeva, Sh. Yakhshiboyev, A. Begjanov, Numerical analysis of transverse forced vibration of a beam, *AIP Conference Proceedings*, 3177, 050010, (2025). <https://doi.org/10.1063/5.02944897>
11. Z. Khudayberdiyev, Z. Suyunova, A. Begjanov, J. Khasanov, The longitudinal and transverse vibrations of a three-layered plate *AIP Conf. Proc.* 3177, 050012, (2025). <https://doi.org/10.1063/5.029489>
12. D. Kholikov, J. Abdurazzoqov, R. Usmonov, K. Xaydarova. Free torsional vibration of an elastic thin-walled cylindrical shell with variable cross section, *AIP Conference Proceedings*, 060029-1, (2024). <https://doi.org/10.1063/5.0241748>
13. K. Buranov, Q. Li, and V. L. Popov, Area and boundary contributions to friction in an adhesive contact of power-law indenters, *AIP Conference Proceedings*, 3177, 040002 (2025). <https://doi.org/10.1063/5.0294715>
14. O. Abdullayev, Kh. Ismoilov, A. Egamkulov, Application of the mixed finite element method in linear problems of elasticity theory. *AIP Conference Proceedings*, 3177, 070010 (2025). <https://doi.org/10.1063/5.0295413>
15. R. Khalmurodov, Kh. Ismoilov, Z. Khudayberdiyev, B. Babajanov, Vibration of a circular truncated conical shell interacting with a deformable medium, *AIP Conference Proceedings* 3177, 050011 (2025). <https://doi.org/10.1063/5.0295160>



LICENSE TO PUBLISH AGREEMENT FOR CONFERENCE PROCEEDINGS

This License to Publish must be signed and returned to the Proceedings Editor before the manuscript can be published. If you have questions about how to submit the form, please contact the AIP Publishing Conference Proceedings office (confproc@aip.org). For questions regarding the copyright terms and conditions of this License, please contact AIP Publishing's Office of Rights and Permissions, 1305 Walt Whitman Road, Suite 300, Melville, NY 11747-4300 USA; Phone 516-576-2268; Email: rights@aip.org.

Article Title ("Work"):
Stress State During Torsional Vibrations of a Truncated Circular Conical Shell in an Elastic medium

All Author(s):
Khursand Ismoilov, Zokir Khudoyberdiyev, Amirkbek Begjanov

Title of Conference: **AMSM2025**

Name(s) of Editor(s) **Valentin L. Popov**

All Copyright Owner(s), if not Author(s):

(Please list **all** copyright owner(s) by name. In the case of a Work Made for Hire, the employer(s) or commissioning party(ies) are the copyright owner(s). For large groups of copyright owners, attach a separate list to this form.)

Copyright Ownership and Grant of Rights

For the purposes of this License, the "Work" consists of all content within the article itself and made available as part of the article, including but not limited to the abstract, tables, figures, graphs, images, and multimedia files, as well as any subsequent errata. "Supplementary Material" consists of material that is associated with the article but linked to or accessed separately (available electronically only), including but not limited to data sets and any additional files.

This Agreement is an Exclusive License to Publish not a Transfer of Copyright. Copyright to the Work remains with the Author(s) or, in the case of a Work Made for Hire, with the Author(s)' employer(s). AIP Publishing LLC shall own and have the right to register in its name the copyright to the proceedings issue or any other collective work in which the Work is included. Any rights granted under this License are contingent upon acceptance of the Work for publication by AIP Publishing. If for any reason and at its own discretion AIP Publishing decides not to publish the Work, this License is considered void.

Each Copyright Owner hereby grants to AIP Publishing LLC the following irrevocable rights for the full term of United States and foreign copyrights (including any extensions):

1. The exclusive right and license to publish, reproduce, distribute, transmit, display, store, translate, edit, adapt, and create derivative works from the Work (in whole or in part) throughout the world in all formats and media whether now known or later developed, and the nonexclusive right and license to do the same with the Supplementary Material.
2. The right for AIP Publishing to freely transfer and/or sublicense any or all of the exclusive rights listed in #1 above. Sublicensing includes the right to authorize requests for reuse of the Work by third parties.
3. The right for AIP Publishing to take whatever steps it considers necessary to protect and enforce, at its own expense, the exclusive rights granted herein against third parties.

Author Rights and Permitted Uses

Subject to the rights herein granted to AIP Publishing, each Copyright Owner retains ownership of copyright and all other proprietary rights such as patent rights in the Work.

Each Copyright Owner retains the following nonexclusive rights to use the Work, without obtaining permission from AIP Publishing, in keeping with professional publication ethics and provided clear credit is given to its first publication in an AIP Publishing proceeding. Any reuse must include a full credit line acknowledging AIP Publishing's publication and a link to the Version of Record (VOR) on AIP Publishing's site.

Each Copyright Owner may:

1. Reprint portions of the Work (excerpts, figures, tables) in future works created by the Author, in keeping with professional publication ethics.
2. Post the Accepted Manuscript (AM) to their personal web page or their employer's web page immediately after acceptance by AIP Publishing.
3. Deposit the AM in an institutional or funder-designated repository immediately after acceptance by AIP Publishing.

4. Use the AM for posting within scientific collaboration networks (SCNs). For a detailed description of our policy on posting to SCNs, please see our Web Posting Guidelines (<https://publishing.aip.org/authors/web-posting-guidelines>).
5. Reprint the Version of Record (VOR) in print collections written by the Author, or in the Author's thesis or dissertation. It is understood and agreed that the thesis or dissertation may be made available electronically on the university's site or in its repository and that copies may be offered for sale on demand.
6. Reproduce copies of the VOR for courses taught by the Author or offered at the institution where the Author is employed, provided no fee is charged for access to the Work.
7. Use the VOR for internal training and noncommercial business purposes by the Author's employer.
8. Use the VOR in oral presentations made by the Author, such as at conferences, meetings, seminars, etc., provided those receiving copies are informed that they may not further copy or distribute the Work.
9. Distribute the VOR to colleagues for noncommercial scholarly use, provided those receiving copies are informed that they may not further copy or distribute the Work.
10. Post the VOR to their personal web page or their employer's web page 12 months after publication by AIP Publishing.
11. Deposit the VOR in an institutional or funder-designated repository 12 months after publication by AIP Publishing.
12. Update a prior posting with the VOR on a noncommercial server such as arXiv, 12 months after publication by AIP Publishing.

Author Warranties

Each Author and Copyright Owner represents and warrants to AIP Publishing the following:

1. The Work is the original independent creation of each Author and does not infringe any copyright or violate any other right of any third party.
2. The Work has not been previously published and is not being considered for publication elsewhere in any form, except as a preprint on a noncommercial server such as arXiv, or in a thesis or dissertation.
3. Written permission has been obtained for any material used from other sources and copies of the permission grants have been supplied to AIP Publishing to be included in the manuscript file.
4. All third-party material for which permission has been obtained has been properly credited within the manuscript.
5. In the event that the Author is subject to university open access policies or other institutional restrictions that conflict with any of the rights or provisions of this License, such Author has obtained the necessary waiver from his or her university or institution.

This License must be signed by the Author(s) and, in the case of a Work Made for Hire, also by the Copyright Owners. One Author/Copyright Owner may sign on behalf of all the contributors/owners only if they all have authorized the signing, approval of the License, and agreed to be bound by it. The signing Author and, in the case of a Work Made for Hire, the signing Copyright Owner warrants that he/she/it has full authority to enter into this License and to make the grants this License contains.

1. The Author must please sign here (except if an Author is a U.S. Government employee, then please sign under #3 below):

Ismoilov Khursand

17.10.2025

Author(s) Signature Print Name Date

2. The Copyright Owner (if different from the Author) must please sign here:

Name of Copyright Owner Authorized Signature and Title Date

3. If an Author is a U.S. Government employee, such Author must please sign below. The signing Author certifies that the Work was written as part of his/her official duties and is therefore not eligible for copyright protection in the United States.

Name of U.S. Government Institution (e.g., Naval Research Laboratory, NIST)

Author Signature Print Name Date

PLEASE NOTE: NATIONAL LABORATORIES THAT ARE SPONSORED BY U.S. GOVERNMENT AGENCIES BUT ARE INDEPENDENTLY RUN ARE NOT CONSIDERED GOVERNMENT INSTITUTIONS. (For example, Argonne, Brookhaven, Lawrence Livermore, Sandia, and others.) Authors at these types of institutions should sign under #1 or #2 above.

If the Work was authored under a U.S. Government contract, and the U.S. Government wishes to retain for itself and others acting on its behalf, a paid-up, nonexclusive, irrevocable, worldwide license in the Work to reproduce, prepare derivative works from, distribute copies to the public, perform publicly, and display publicly, by or on behalf of the Government, please check the box below and add the relevant Contract numbers.

Contract # (1.16.1)

LICENSE TERMS DEFINED

Accepted Manuscript (AM): The final version of an author's manuscript that has been accepted for publication and incorporates all the editorial changes made to the manuscript after submission and peer review. The AM does not yet reflect any of the publisher's enhancements to the work such as copyediting, pagination, and other standard formatting.

arXiv: An electronic archive and distribution server for research article preprints in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, and statistics, which is owned and operated by Cornell University, <http://arxiv.org/>.

Commercial and noncommercial scholarly use: Noncommercial scholarly uses are those that further the research process for authors and researchers on an individual basis for their own personal purposes. They are author-to-author interactions meant for the exchange of ideas. Commercial uses fall outside the author-to-author exchange and include but are not limited to the copying or distribution of an article, either in hard copy form or electronically, for resale or licensing to a third party; posting of the AM or VOR of an article by a site or service where an access fee is charged or which is supported by commercial paid advertising or sponsorship; use by a for-profit entity for any type of promotional purpose. Commercial uses require the permission of AIP Publishing.

Embargo period: The period of time during which free access to the full text of an article is delayed.

Employer's web page: A web page on an employer's site that highlights the accomplishments and research interests of the company's employees, which usually includes their publications. (See also: Personal web page and Scholarly Collaboration Network).

Exclusive License to Publish: An exclusive license to publish is a written agreement in which the copyright owner gives the publisher exclusivity over certain inherent rights associated with the copyright in the work. Those rights include the right to reproduce the work, to distribute copies of the work, to perform and display the work publicly, and to authorize others to do the same. The publisher does not hold the copyright to the work, which continues to reside with the author. The terms of the AIP Publishing License to Publish encourage authors to make full use of their work and help them to comply with requirements imposed by employers, institutions, and funders.

Full Credit Line: AIP Publishing's preferred format for a credit line is as follows (you will need to insert the specific citation information in place of the capital letters): "Reproduced from [FULL CITATION], with the permission of AIP Publishing." A FULL CITATION would appear as: Journal abbreviation, volume number, article ID number or page number (year). For example: Appl. Phys. Lett. 107, 021102 (2015).

Institutional repository: A university or research institution's digital collection of articles that have been authored by its staff and which are usually made publicly accessible. As authors are encouraged and sometimes required to include their published articles in their institution's repository, the majority of publishers allow for deposit of the Accepted Manuscript for this purpose. AIP Publishing also allows for the VOR to be deposited 12 months after publication of the Work.

Journal editorial office: The contact point for authors concerning matters related to the publication of their manuscripts. Contact information for the journal editorial offices may be found on the journal websites under the "About" tab.

Linking to the Version of Record (VOR): To create a link to your article in an AIP Publishing journal or proceedings, you need to know the CrossRef digital object identifier (doi). You can find the doi on the article's abstract page. For instructions on linking, please refer to our Web Posting Guidelines at <https://publishing.aip.org/authors/web-posting-guidelines>.

National Laboratories: National laboratories are sponsored and funded by the U.S. Government but have independent nonprofit affiliations and employ private sector resources. These institutions are classified as Federally Funded Research and Development Centers (FFRDCs). Authors working at FFRDCs are not

considered U.S. Government employees for the purposes of copyright. The Master Government List of FFRDCs may be found at <http://www.nsf.gov/statistics/ffrdclst/>.

Personal web page: A web page that is hosted by the author or the author's institution and is dedicated to the author's personal research interests and publication history. An author's profile page on a social media site or scholarly collaboration network site is *not* considered a personal web page. (See also: Scholarly Collaboration Network; Employer's web page).

Peer X-Press: A web-based manuscript submission system by which authors submit their manuscripts to AIP Publishing for publication, communicate with the editorial offices, and track the status of their submissions. The Peer X-Press system provides a fully electronic means of completing the License to Publish. A hard copy of the Agreement will be supplied by the editorial office if the author is unable to complete the electronic version of the form. (Conference Proceedings authors will continue to submit their manuscripts and forms directly to the Conference Editors.)

Preprint: A version of an author's manuscript intended for publication but that has not been peer reviewed and does not reflect any editorial input or publisher enhancements.

Professional Publication Ethics: AIP Publishing provides information on what it expects from authors in its "Statement of ethics and responsibilities of authors submitting to AIP Publishing journals" (<http://publishing.aip.org/authors/ethics>). AIP Publishing is also a member of the Committee on Publication Ethics (COPE) (<http://publicationethics.org/>), which provides numerous resources and guidelines for authors, editors, and publishers with regard to ethical standards and accepted practices in scientific publishing.

Scholarly Collaboration Network (SCN): Professional networking sites that facilitate collaboration among researchers as well as the sharing of data, results, and publications. SCNs include sites such as Academia.edu, ResearchGate, and Mendeley, among others.

Supplementary Material: Related material that has been judged by peer review as being relevant to the understanding of the article but that may be too lengthy or of too limited interest for inclusion in the article itself. Supplementary Material may include data tables or sets, appendixes, movie or audio clips, or other multimedia files.

U.S. Government employees: Authors working at Government organizations who author works as part of their official duties and who are not able to license rights to the Work, since no copyright exists. Government works are in the public domain within the United States.

Version of Record (VOR): The final published version of the article as it appears in the printed journal/proceedings or on the Scitation website. It incorporates all editorial input, is formatted in the publisher's standard style, and is usually viewed in PDF form.

Waiver: A request made to a university or institution to exempt an article from its open-access policy requirements. For example, a conflict will exist with any policy that requires the author to grant a nonexclusive license to the university or institution that enables it to license the Work to others. In all such cases, the Author must obtain a waiver, which shall be included in the manuscript file.

Work: The "Work" is considered all the material that comprises the article, including but not limited to the abstract, tables, figures, images, multimedia files that are directly embedded within the text, and the text itself. The Work does not include the Supplementary Material (see Supplementary Material above).

Work Made for Hire: Under copyright law, a work prepared by an employee within the scope of employment, or a work that has been specially ordered or commissioned for which the parties have agreed in writing to consider as a Work Made for Hire. The hiring party or employer is considered the author and owner of the copyright, not the person who creates the work.