

3rd International Conference Advanced Mechanics: Structure, Materials, Tribology

The Nonstationary Longitudinal-Radial Vibrations of a Conical Shell

AIPCP25-CF-AMSMT2025-00065 | Article

PDF auto-generated using **ReView**



The Nonstationary Longitudinal-Radial Vibrations of a Conical Shell

Zokir Khudoyberdiyev^{1, a)}, Burkhon Yalgashev^{2, b)}, Amirkbek Begjanov^{3, c)},
Shokhista Sharipova^{4, d)}, Nurbek Isayev^{5, e)}.

¹*Samarkand State University, Samarkand, Uzbekistan*

²*Chirchik State Pedagogical University, Toshkent, Uzbekistan*

^{3,4}*Urgench State University, Urgench, Uzbekistan*

⁵*Abdulla Qodiriy Jizzakh State Pedagogical University, Jizzakh, Uzbekistan*

^{a)} Corresponding author: xudoyberdiyevz@mail.ru

^{b)} burkhon@gmail.com

^{c)} bekjanov@gmail.com

^{d)} shshb1990@gmail.com

^{e)} inurbek@gmail.com

Annotation: In this article, the problem of longitudinal–radial vibrations of a conical shell is investigated. Using the conducted research, the stressed and deformed states at the points of the conical shell's cross-section are studied in detail. Conical shell elements are widely used in mechanical engineering, energy, and aerospace industries. To determine their reliability and service life, it is necessary to thoroughly study the state of deformations and stresses. Therefore, the elastic deformations of the conical shell, the internal stress forces arising during longitudinal–radial vibrations, the maximum stresses and their distribution at the points of the shell's cross-section, as well as the possibilities of reducing deformations and optimizing the structure, are analyzed. The results of the study can be applied to improve the reliability of conical shell elements in industrial structures, optimize production processes, and determine the selection of materials.

Keywords: shell, boundary condition, longitudinal-radial vibration, deformation, displacement, stress.

INTRODUCTION.

Structural elements in the form of conical shells are an integral part of modern industrial technologies, and their reliability and efficiency depend on many factors. Such conical shell structures often operate under very high pressure and strong vibrations. These conditions require a deeper study of their stressed and deformed states. In particular, the longitudinal–radial vibrations of conical shells often lead to stress concentration at points of their cross-sections. This, in turn, can cause material stretching and various types of failures. When analyzing the longitudinal–radial vibrations of conical shells, their geometric dimensions, the physical properties of the materials, and the boundary conditions on their surfaces play an important role. For example, in studies [1–3], the torsional vibrations of elastic conical shells made of composite materials were investigated. A new mathematical model has been developed [4] that takes into account the external forces acting on the outer surface of the conical shell. In addition, using the finite element method, the vibrations of conical shell elements together with structural components were analyzed, and the effects of the conical shell's geometric parameters and boundary conditions on vibration frequencies were studied.

When determining the deformed states, it is necessary to evaluate the stresses at points of the shell's cross-section. In such cases, the classical small deformation theory is applied to determine the material's elastic properties and its deformed state. At the same time, the possibilities of using new materials and technologies in analyzing the deformed states of conical shell elements are also being explored. For instance, the nonlinear vibration characteristics of conical

shells made from functionally graded materials reinforced with graphene nanoplatelets have been studied, and the effects of material porosity, graphene distribution, and the elastic foundation have been analyzed [5-10].

In this article, the longitudinal and radial vibrations of a conical shell and its stressed-deformed states at the points of the cross-section are analyzed mathematically. Based on numerical experiments conducted using the Finite Element Method (FEM), the distribution of deformations and stresses is determined. The results of the study help to identify the parameters necessary for improving the reliability and extending the service life of conical shell structures.

STATEMENT OF THE PROBLEMS (ISSUE)

We take an infinitesimal element of length l from an infinitely long, elastic, homogeneous, isotropic conical shell. A cylindrical coordinate system $Or\theta z$ is placed at the center of the small cross-section of this element (Fig. 1). In this case, the Oz -axis is directed along the axis of the conical shell. The Or -axis is directed along the radius of the conical shell's cross-section [11-15]. The inner radius of the conical shell at section $z=0$ is denoted by r_0 . The thickness of the conical shell is d . The generator of the conical shell forms an angle of α with its axis. The inner radius of the conical shell at section $z=l$ is denoted by r_1 , and the outer radius by r_2 . Then, the following relationship holds:

$$r_1 = r_0 + z \cdot \operatorname{tg} \alpha; \quad r_2 = r_0 + z \cdot \operatorname{tg} \alpha + d$$

For the material of the conical shell, the Lamé coefficients are λ and μ . The density of the shell material is ρ .




FIGURE 1. Conical shell

We assume the problem of longitudinal-radial vibrations of the conical shell to be axisymmetric. Therefore, among the components of the displacement vector of points in the cross-section of the conical shell, U_r and U_z are nonzero; among the components of the stress tensor, σ_{rr} , σ_{zz} , $\sigma_{\theta\theta}$ and τ_{rz} are nonzero; and among the components of the strain tensor, ε_{rr} , ε_{zz} , $\varepsilon_{\theta\theta}$ and γ_{rz} are nonzero. In the $Or\theta z$ cylindrical coordinate system, the system of differential equations of motion for the points of the conical shell, expressed in terms of stresses, can be written as follows:

$$\frac{\partial \sigma_{rr}}{\partial r} + \frac{\partial \tau_{rz}}{\partial z} + \frac{\sigma_{rr} - \sigma_{\theta\theta}}{r} = \rho \frac{\partial^2 U_r}{\partial t^2}; \quad \frac{\partial \tau_{rz}}{\partial r} + \frac{\partial \sigma_{zz}}{\partial z} + \frac{\tau_{rz}}{r} = \rho \frac{\partial^2 U_z}{\partial t^2}. \quad (1)$$

For the points of the conical shell, the relationships between stresses and strains are expressed in the following form [15]:

$$\begin{aligned} \sigma_{rr} &= A_{11} \frac{\partial U_r}{\partial r} + A_{12} \frac{U_r}{r} + A_{13} \frac{\partial U_z}{\partial z}; \quad \sigma_{\theta\theta} = A_{12} \frac{\partial U_r}{\partial r} + A_{11} \frac{U_r}{r} + A_{13} \frac{\partial U_z}{\partial z}; \\ \sigma_{zz} &= A_{13} \left(\frac{\partial U_r}{\partial r} + \frac{U_r}{r} \right) + A_{33} \frac{\partial U_z}{\partial z}; \quad \tau_{rz} = A_{44} \left(\frac{\partial U_r}{\partial z} + \frac{\partial U_z}{\partial r} \right). \end{aligned} \quad (2)$$

Here, A_{ij} - are the elastic constants.

By substituting expressions (2), written for the points of the conical shell's cross-section during longitudinal–radial vibrations, into the previously derived system of motion equations (1), we can obtain the following system of equations with respect to the longitudinal and radial displacements of the conical shell points:

$$\begin{aligned} A_{11} \left(\frac{\partial^2 U_r}{\partial r^2} + \frac{1}{r} \frac{\partial U_r}{\partial r} - \frac{1}{r^2} U_r \right) + A_{44} \left(\frac{\partial^2 U_r}{\partial z^2} \right) + (A_{13} + A_{44}) \frac{\partial^2 U_r}{\partial r \partial z} = \rho \frac{\partial^2 U_r}{\partial t^2}; \\ A_{44} \left(\frac{\partial^2 U_z}{\partial r^2} + \frac{1}{r} \frac{\partial U_z}{\partial r} \right) + A_{33} \frac{\partial^2 U_z}{\partial z^2} + (A_{13} + A_{44}) \left(\frac{\partial}{\partial r} + \frac{1}{r} \right) \frac{\partial U_r}{\partial z} = \rho \frac{\partial^2 U_z}{\partial t^2}. \end{aligned} \quad (3)$$

The longitudinal–radial vibrations of the conical shell occur under the action of internal and external dynamic forces. In this case, the following boundary conditions are applicable on the $r = r_1$ and $r = r_2$ surfaces of the conical shell.

$$\sigma_{rr}(r, z, t)|_{r=r_i} = f_{ri}(z, t); \quad \tau_{rz}(r, z, t)|_{r=r_i} = f_{zi}(z, t); \quad i = 1, 2. \quad (4)$$

Thus, solving the problem of longitudinal–radial vibrations of the conical shell reduces to solving the system of equations (3) with the boundary conditions (4) and zero initial conditions.

SOLUTION OF THE PROBLEM

Using Laplace integral transforms, we express the system of equations (4) in terms of the \tilde{U}_r and \tilde{U}_z components of the displacement vector. By simplifying the resulting system of equations, we introduce the following notations:

$$\tilde{\Delta}_0 = \frac{\partial^2}{\partial r^2} + \frac{1}{r} \frac{\partial}{\partial r} - \frac{1}{r^2}; \quad \tilde{B}_1 = \frac{1}{\tilde{A}_{11}} (\tilde{A}_{13} + \tilde{A}_{44}); \quad \tilde{B}_2 = \frac{1}{\tilde{A}_{44}} (\tilde{A}_{13} + \tilde{A}_{44}); \quad (5)$$

Taking into account the notations in (5), we differentiate the second equation of the system (4) with respect to the r variable and write it in the following form:

$$\begin{aligned} \tilde{\Delta}_0 \tilde{U}_r + \left(\frac{\tilde{C}_{44}}{\tilde{C}_{11}} k^2 - \frac{\rho}{\tilde{C}_{11}} p^2 \right) \tilde{U}_r - k \tilde{B}_1 \frac{\partial \tilde{U}_z}{\partial r} = 0; \\ \tilde{\Delta}_0 \frac{\partial \tilde{U}_z}{\partial r} - \left(\frac{\tilde{C}_{33}}{\tilde{C}_{44}} k^2 + \frac{\rho}{\tilde{C}_{44}} p^2 \right) \frac{\partial \tilde{U}_z}{\partial r} - k \tilde{B}_2 \tilde{\Delta}_0 \tilde{U}_r = 0; \end{aligned} \quad (6)$$

By solving the system of equations (6), we obtain the following solutions:

$$\tilde{U}_r = A_1 I_1(\alpha_1 r) + D_1 K_1(\alpha_1 r) + A_2 I_1(\alpha_2 r) + D_2 K_1(\alpha_2 r); \quad (7)$$

$$k \tilde{B}_1 \tilde{U}_z = \frac{\alpha_1^2 - \alpha^2}{\alpha_1} [A_1 I_0(\alpha_1 r) + D_1 K_0(\alpha_1 r)] + \frac{\alpha_2^2 - \alpha^2}{\alpha_1} [A_2 I_0(\alpha_2 r) + D_2 K_0(\alpha_2 r)]; \quad (8)$$

Here, $\alpha, \alpha_1, \alpha_2$ are coefficients that depend on the \tilde{A}_{ij} elastic constants of the material. The displacement expressions (7) and (8) are expanded into power series with respect to the radial coordinate r . Then, denoting them as $r = \xi$ and $n = 0$, we substitute the leading terms of the displacements $\tilde{U}_{r,0}, \tilde{U}_{r,1}, \tilde{U}_{z,0}$ and $\tilde{U}_{z,1}$ on the surface with radius ξ .

We replace the σ_{rr}, σ_{rz} stresses and f_{rr}, f_{rz} external forces in the boundary conditions (4) in the same way as the displacements. The resulting expressions for the substituted stresses are then applied to the boundary conditions (4), and can be written as follows:

$$\tilde{A}_{11} \frac{\partial \tilde{U}_r}{\partial r} + \tilde{A}_{12} \frac{\tilde{U}_r}{r} - k \tilde{A}_{13} \tilde{U}_z = f_{ri}(k, t); \quad \tilde{A}_{44} \left(k \tilde{U}_r + \frac{\partial \tilde{U}_z}{\partial r} \right) = f_{zi}(k, t); \quad i = 1, 2. \quad (9)$$

We substitute the expressions (7) and (8) into this system of equations (9):

$$\begin{aligned} \tilde{C}_{11} \left\{ \alpha_1 [A_1 I_0(\alpha_1 r_2) - D_1 K_0(\alpha_1 r_2)] + \alpha_2 [A_2 I_0(\alpha_2 r_2) - D_2 K_0(\alpha_2 r_2)] \right\} + \\ + \frac{\tilde{C}_{12}}{r} [A_1 I_1(\alpha_1 r_2) + D_1 K_1(\alpha_1 r_2) + A_2 I_1(\alpha_2 r_2) + D_2 K_1(\alpha_2 r_2)] - \\ - k \tilde{C}_{13} \left\{ \frac{\alpha_1^2 - \alpha^2}{\alpha_1 k \tilde{B}_1} [A_1 I_0(\alpha_1 r_2) - D_1 K_0(\alpha_1 r_2)] + \frac{\alpha_2^2 - \alpha^2}{\alpha_2 k \tilde{B}_1} [A_2 I_0(\alpha_2 r_2) - D_2 K_0(\alpha_2 r_2)] \right\} = \tilde{f}_r^{(2)}; \end{aligned} \quad (10)$$

$$(\alpha_1^2 - \alpha^2 + k^2 \tilde{B}_1) [A_1 I_1(\alpha_1 r_2) + D_1 K_1(\alpha_1 r_2)] + (\alpha_2^2 - \alpha^2 + k^2 \tilde{B}_1) [A_2 I_1(\alpha_2 r_2) + D_2 K_1(\alpha_2 r_2)] = \tilde{B}_1 \tilde{C}_{44}^{-1} [k \tilde{f}_{rz}^{(2)}];$$

In the final system of equations (10), we expand the $I_i(\alpha_1 r_2)$, $K_i(\alpha_1 r_2)$, $I_i(\alpha_2 r_2)$, $K_i(\alpha_2 r_2)$ Bessel functions in terms of r_2 , and the $I_i(\alpha_1 r_1)$, $K_i(\alpha_1 r_1)$, $I_i(\alpha_2 r_1)$, $K_i(\alpha_2 r_1)$, ($i = 0, 1$) Bessel functions in terms of r_1 . By substituting the values of the constants into the resulting expansions, we obtain a system of four algebraic equations for the leading terms of the transformed displacements $\tilde{U}_{r,0}$, $\tilde{U}_{z,0}$, $\tilde{U}_{r,1}$, $\tilde{U}_{z,1}$.

By applying operators to the system of equations (10) and performing mathematical simplifications, we obtain the following system of equations:

$$\begin{aligned} N_{j1} U_{z,0} + M_{j1} U_{r,0} + K_{j1} U_{z,1} + L_{j1} U_{r,1} &= S_{j1} f_{rz}(z, t); \\ N_{j2} U_{z,0} + M_{j2} U_{r,0} + K_{j2} U_{z,1} + L_{j2} U_{r,1} &= S_{j2} f_{rz}(z, t); \quad i = 1, 2; \quad j = 1, 2; \end{aligned} \quad (11)$$

Here, $N_{j1}, M_{j1}, K_{j1}, L_{j1}, S_{j1}$ ($j = \overline{1, 4}$) are differential operators, and their form is as follows. For example,

$$\begin{aligned} N_{j1} &= c_{j1} \frac{\partial^4}{\partial t^4} + c_{j2} \frac{\partial^4}{\partial t^2 \partial z^2} + c_{j3} \frac{\partial^4}{\partial z^4} + c_{j4} \frac{\partial^2}{\partial t^2} + c_{j5} \frac{\partial^2}{\partial z^2}, \\ M_{j1} &= g_{j1} \frac{\partial^4}{\partial t^4} + g_{j2} \frac{\partial^4}{\partial t^2 \partial z^2} + g_{j3} \frac{\partial^4}{\partial z^4} + g_{j4} \frac{\partial^3}{\partial t^2 \partial z} + g_{j5} \frac{\partial^3}{\partial z^3} + g_{j6} \frac{\partial^2}{\partial t^2} + g_{j7} \frac{\partial^2}{\partial z^2}, \end{aligned}$$

CONCLUSION

By solving this system of differential equations (11), it is possible to determine the sought functions, such as $U_{r,0}$, $U_{z,0}$, $U_{r,1}$ and $U_{z,1}$. They are of significant importance in analyzing the longitudinal-radial vibrations of a circular truncated conical shell. Using these sought functions, it becomes possible to determine the displacements and stresses at any point of the cross-section of the circular conical shell.

REFERENCES

1. I. G. Filippov, S. I. Filippov, Oscillatory and wave processes in continuous compressible media. (M. Publishing house MGSU, 2007).-430 p.
2. Kh. Khudoynazarov Longitudinal-radial vibrations of a viscoelastic cylindrical three-layer structure // Facta universitatis, Series: Mechanical Engineering, (2024). <https://doi.org/10.22190/FUME231219010K>
3. Kh. Khudoynazarov, B. Yalgashov, Longitudinal vibrations of a cylindrical shell filled with a viscous compressible liquid. E3S Web of Conferences **264**, 02017 (2021). <https://doi.org/10.1051/e3sconf/202126402017>
4. Kh. Kh. Khudoynazarov, R. I. Khalmuradov, B. F. Yalgashov, Longitudinal-radial vibrations of a elastic cylindrical shell filled with a viscous compressible liquid. *Tomsk State University. Journal of Mathematics and Mechanics.* **69**, 139-154. (2021). DOI: 10.17223/19988621/69/11
5. Kh. Kh. Khudoynazarov and Sh.R. Yaxshiboyev, The Mathematical Model of Transverse Vibrations of the Three-Layer Plate, *IOP Conf. Ser.: Earth Environ. Sci.* **614** 012062. (2020) DOI: [10.1088/1755-1315/614/1/012062](https://doi.org/10.1088/1755-1315/614/1/012062).
6. Kh. Khudoynazarov and Z. B. Khudoberdiyev, Unsteady vibrations of a three-layer plate with an asymmetric structure, *IOP Conf. Ser.: Earth Environ. Sci.* **614** 012061 (2020). DOI:[10.1088/1755-1315/614/1/012061](https://doi.org/10.1088/1755-1315/614/1/012061)
7. R. I. Khalmuradov, Kh. Khudoynazarov, U. A. Nishanov Elastic-plastic deformation of a round plate reinforced with stiffeners// Magazine of Civil Engineering **116**(8), Pp. 49-63. (2022). <https://doi.org/10.18721/JPM>
8. B. F. Yalgashov, E. A. Ismoilov, Z. B. Khudoberdiyev, Torsional Vibrations of Layered Cylindrical Viscoelastic Shells and Rods, AIP Conference Proceedings 2637, 030023 (2022). <https://doi.org/10.1063/5.0118588>. Published Online: 20 October 2022
9. Z. B. Khudoberdiyev, Sh. R. Yaxshiboyev, Bending of a Cantilever Beam Under the Influence of a Force Applied to its Tip. AIP Conference Proceedings, 060014, 3244(1), (2024). <https://doi.org/10.1063/5.0241681>

10. M. U. Khodjabekov, Kh. M. Buranov, A. E. Qudratov, Modal Mass and Stiffness of Hysteresis Type Elastic Dissipative Characteristic Plate AIP Conference Proceedings 2637, 050004 (2022). <https://doi.org/10.1063/5.0118292> Published Online: 20 October 2022
11. R. I. Khalmuradov, and B. F. Yalgashev, "Frequency analysis of longitudinal-radial vibrations of a cylindrical shell" IOP Conf. Series: Earth and Environmental Science 614 (2020). [012087 doi:10.1088/1755-1315/614/1/012087](https://doi.org/10.1088/1755-1315/614/1/012087)
12. R. I. Khalmuradov, K. Khudoynazarov and S. B. Omonov Model for calculation of anchor parameters fixings for vertical exploration works. IOP Conf. Series: Earth and Environmental Science, 937, 042092, (2021). [doi:10.1088/1755-1315/937/4/042092](https://doi.org/10.1088/1755-1315/937/4/042092)
13. Z. Khudoyberdiyev, Sh. Khudayberdiyeva, Sh. Yakhshiboyev, A. Begjanov, AIP Conf. Proc. 3177, 050010 (2025). <https://doi.org/10.1063/5.02944897>
14. R. Khalmuradov, Kh. Ismoilov, Z. Khudoyberdiyev, B. Babajanov, AIP Conf. Proc. 3177, 050011 (2025). <https://doi.org/10.1063/5.0295160>
15. Z. Khudoyberdiyev, Z. Suyunova, A. Begjanov, J. Khasanov, AIP Conf. Proc. 3177, 050012 (2025). <https://doi.org/10.1063/5.029489>



LICENSE TO PUBLISH AGREEMENT FOR CONFERENCE PROCEEDINGS

This License to Publish must be signed and returned to the Proceedings Editor before the manuscript can be published. If you have questions about how to submit the form, please contact the AIP Publishing Conference Proceedings office (confproc@aip.org). For questions regarding the copyright terms and conditions of this License, please contact AIP Publishing's Office of Rights and Permissions, 1305 Walt Whitman Road, Suite 300, Melville, NY 11747-4300 USA; Phone 516-576-2268; Email: rights@aip.org.

Article Title ("Work"):

The Nonstationary Longitudinal-Radial Vibrations of a Conical Shell

All Author(s):

Zokir Khudoyberdiyev, Burkhan Yalgashev, Amirkbek Begjanov,
Shokhista Sharipova, Nurbek Isayev

Title of Conference: AMSM2025

Name(s) of Editor(s): Valentin L. Popov

All Copyright Owner(s), if not Author(s):

(Please list all copyright owner(s) by name. In the case of a Work Made for Hire, the employer(s) or commissioning party(es) are the copyright owner(s). For large groups of copyright owners, attach a separate list to this form.)

Copyright Ownership and Grant of Rights

For the purposes of this License, the "Work" consists of all content within the article itself and made available as part of the article, including but not limited to the abstract, tables, figures, graphs, images, and multimedia files, as well as any subsequent errata. "Supplementary Material" consists of material that is associated with the article but linked to or accessed separately (available electronically only), including but not limited to data sets and any additional files.

This Agreement is an Exclusive License to Publish not a Transfer of Copyright. Copyright to the Work remains with the Author(s) or, in the case of a Work Made for Hire, with the Author(s) employer(s). AIP Publishing LLC shall own and have the right to register in its name the copyright to the proceedings issue or any other collective work in which the Work is included. Any rights granted under this License are contingent upon acceptance of the Work for publication by AIP Publishing. If for any reason and at its own discretion AIP Publishing decides not to publish the Work, this License is considered void.

Each Copyright Owner hereby grants to AIP Publishing LLC the following irrevocable rights for the full term of United States and foreign copyrights (including any extensions):

1. The exclusive right and license to publish, reproduce, distribute, transmit, display, store, translate, edit, adapt, and create derivative works from the Work (in whole or in part) throughout the world in all formats and media whether now known or later developed, and the nonexclusive right and license to do the same with the Supplementary Material.
2. The right for AIP Publishing to freely transfer and/or sublicense any or all of the exclusive rights listed in #1 above. Sublicensing includes the right to authorize requests for reuse of the Work by third parties.
3. The right for AIP Publishing to take whatever steps it considers necessary to protect and enforce, at its own expense, the exclusive rights granted herein against third parties.

Author Rights and Permitted Uses

Subject to the rights herein granted to AIP Publishing, each Copyright Owner retains ownership of copyright and all other proprietary rights such as patent rights in the Work.

Each Copyright Owner retains the following nonexclusive rights to use the Work, without obtaining permission from AIP Publishing, in keeping with professional publication ethics and provided clear credit is given to its first publication in an AIP Publishing proceeding. Any reuse must include a full credit line acknowledging AIP Publishing's publication and a link to the Version of Record (VOR) on AIP Publishing's site.

Each Copyright Owner may:

1. Reprint portions of the Work (excerpts, figures, tables) in future works created by the Author, in keeping with professional publication ethics.
2. Post the Accepted Manuscript (AM) to their personal web page or their employer's web page immediately after acceptance by AIP Publishing.
3. Deposit the AM in an institutional or funder-designated repository immediately after acceptance by AIP Publishing.

4. Use the AM for posting within scientific collaboration networks (SCNs). For a detailed description of our policy on posting to SCNs, please see our Web Posting Guidelines (<https://publishing.aip.org/authors/web-posting-guidelines>).
5. Reprint the Version of Record (VOR) in print collections written by the Author, or in the Author's thesis or dissertation. It is understood and agreed that the thesis or dissertation may be made available electronically on the university's site or in its repository and that copies may be offered for sale on demand.
6. Reproduce copies of the VOR for courses taught by the Author or offered at the institution where the Author is employed, provided no fee is charged for access to the Work.
7. Use the VOR for internal training and noncommercial business purposes by the Author's employer.
8. Use the VOR in oral presentations made by the Author, such as at conferences, meetings, seminars, etc., provided those receiving copies are informed that they may not further copy or distribute the Work.
9. Distribute the VOR to colleagues for noncommercial scholarly use, provided those receiving copies are informed that they may not further copy or distribute the Work.
10. Post the VOR to their personal web page or their employer's web page 12 months after publication by AIP Publishing.
11. Deposit the VOR in an institutional or funder-designated repository 12 months after publication by AIP Publishing.
12. Update a prior posting with the VOR on a noncommercial server such as arXiv, 12 months after publication by AIP Publishing.

Author Warranties

Each Author and Copyright Owner represents and warrants to AIP Publishing the following:

1. The Work is the original independent creation of each Author and does not infringe any copyright or violate any other right of any third party.
2. The Work has not been previously published and is not being considered for publication elsewhere in any form, except as a preprint on a noncommercial server such as arXiv, or in a thesis or dissertation.
3. Written permission has been obtained for any material used from other sources and copies of the permission grants have been supplied to AIP Publishing to be included in the manuscript file.
4. All third-party material for which permission has been obtained has been properly credited within the manuscript.
5. In the event that the Author is subject to university open access policies or other institutional restrictions that conflict with any of the rights or provisions of this License, such Author has obtained the necessary waiver from his or her university or institution.

This License must be signed by the Author(s) and, in the case of a Work Made for Hire, also by the Copyright Owners. One Author/Copyright Owner may sign on behalf of all the contributors/owners only if they all have authorized the signing, approved of the License, and agreed to be bound by it. The signing Author and, in the case of a Work Made for Hire, the signing Copyright Owner warrants that he/she/it has full authority to enter into this License and to make the grants this License contains.

1. The Author must please sign here (except if an Author is a U.S. Government employee, then please sign under #3 below):

Zokir Khudoyberdiyev

24.11.2025

Author(s) Signature

Print Name

Date

2. The Copyright Owner (if different from the Author) must please sign here:

Name of Copyright Owner

Authorized Signature and Title

Date

3. If an Author is a U.S. Government employee, such Author must please sign below. The signing Author certifies that the Work was written as part of his/her official duties and is therefore not eligible for copyright protection in the United States.

Name of U.S. Government Institution (e.g., Naval Research Laboratory, NIST)

Author Signature

Print Name

Date

PLEASE NOTE: NATIONAL LABORATORIES THAT ARE SPONSORED BY U.S. GOVERNMENT AGENCIES BUT ARE INDEPENDENTLY RUN ARE NOT CONSIDERED GOVERNMENT INSTITUTIONS. (For example, Argonne, Brookhaven, Lawrence Livermore, Sandia, and others.) Authors at these types of institutions should sign under #1 or #2 above.

If the Work was authored under a U.S. Government contract, and the U.S. Government wishes to retain for itself and others acting on its behalf, a paid-up, nonexclusive, irrevocable, worldwide license in the Work to reproduce, prepare derivative works from, distribute copies to the public, perform publicly, and display publicly, by or on behalf of the Government, please check the box below and add the relevant Contract numbers.

Contract #(s) _____

[1.16.1]

LICENSE TERMS DEFINED

Accepted Manuscript (AM): The final version of an author's manuscript that has been accepted for publication and incorporates all the editorial changes made to the manuscript after submission and peer review. The AM does not yet reflect any of the publisher's enhancements to the work such as copyediting, pagination, and other standard formatting.

arXiv: An electronic archive and distribution server for research article preprints in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, and statistics, which is owned and operated by Cornell University, <http://arxiv.org/>.

Commercial and noncommercial scholarly use: *Noncommercial* scholarly uses are those that further the research process for authors and researchers on an individual basis for their own personal purposes. They are author-to-author interactions meant for the exchange of ideas. *Commercial* uses fall outside the author-to-author exchange and include but are not limited to the copying or distribution of an article, either in hard copy form or electronically, for resale or licensing to a third party; posting of the AM or VOR of an article by a site or service where an access fee is charged or which is supported by commercial paid advertising or sponsorship; use by a for-profit entity for any type of promotional purpose. Commercial uses require the permission of AIP Publishing.

Embargo period: The period of time during which free access to the full text of an article is delayed.

Employer's web page: A web page on an employer's site that highlights the accomplishments and research interests of the company's employees, which usually includes their publications. (See also: Personal web page and Scholarly Collaboration Network).

Exclusive License to Publish: An exclusive license to publish is a written agreement in which the copyright owner gives the publisher exclusivity over certain inherent rights associated with the copyright in the work. Those rights include the right to reproduce the work, to distribute copies of the work, to perform and display the work publicly, and to authorize others to do the same. The publisher does not hold the copyright to the work, which continues to reside with the author. The terms of the AIP Publishing License to Publish encourage authors to make full use of their work and help them to comply with requirements imposed by employers, institutions, and funders.

Full Credit Line: AIP Publishing's preferred format for a credit line is as follows (you will need to insert the specific citation information in place of the capital letters): "Reproduced from [FULL CITATION], with the permission of AIP Publishing." A FULL CITATION would appear as: Journal abbreviation, volume number, article ID number or page number (year). For example: Appl. Phys. Lett. 107, 021102 (2015).

Institutional repository: A university or research institution's digital collection of articles that have been authored by its staff and which are usually made publicly accessible. As authors are encouraged and sometimes required to include their published articles in their institution's repository, the majority of publishers allow for deposit of the Accepted Manuscript for this purpose. AIP Publishing also allows for the VOR to be deposited 12 months after publication of the Work.

Journal editorial office: The contact point for authors concerning matters related to the publication of their manuscripts. Contact information for the journal editorial offices may be found on the journal websites under the "About" tab.

Linking to the Version of Record (VOR): To create a link to your article in an AIP Publishing journal or proceedings, you need to know the CrossRef digital object identifier (doi). You can find the doi on the article's abstract page. For instructions on linking, please refer to our Web Posting Guidelines at <https://publishing.aip.org/authors/web-posting-guidelines>.

National Laboratories: National laboratories are sponsored and funded by the U.S. Government but have independent nonprofit affiliations and employ private sector resources. These institutions are classified as Federally Funded Research and Development Centers (FFRDCs). Authors working at FFRDCs are not

considered U.S. Government employees for the purposes of copyright. The Master Government List of FFRDCs may be found at <http://www.nsf.gov/statistics/ffrclist/>.

Personal web page: A web page that is hosted by the author or the author's institution and is dedicated to the author's personal research interests and publication history. An author's profile page on a social media site or scholarly collaboration network site is *not* considered a personal web page. (See also: Scholarly Collaboration Network; Employer's web page).

Peer X-Press: A web-based manuscript submission system by which authors submit their manuscripts to AIP Publishing for publication, communicate with the editorial offices, and track the status of their submissions. The Peer X-Press system provides a fully electronic means of completing the License to Publish. A hard copy of the Agreement will be supplied by the editorial office if the author is unable to complete the electronic version of the form. (Conference Proceedings authors will continue to submit their manuscripts and forms directly to the Conference Editors.)

Preprint: A version of an author's manuscript intended for publication but that has not been peer reviewed and does not reflect any editorial input or publisher enhancements.

Professional Publication Ethics: AIP Publishing provides information on what it expects from authors in its "Statement of ethics and responsibilities of authors submitting to AIP Publishing journals" (<http://publishing.aip.org/authors/ethics>). AIP Publishing is also a member of the Committee on Publication Ethics (COPE) (<http://publicationethics.org/>), which provides numerous resources and guidelines for authors, editors, and publishers with regard to ethical standards and accepted practices in scientific publishing.

Scholarly Collaboration Network (SCN): Professional networking sites that facilitate collaboration among researchers as well as the sharing of data, results, and publications. SCNs include sites such as Academia.edu, ResearchGate, and Mendeley, among others.

Supplementary Material: Related material that has been judged by peer review as being relevant to the understanding of the article but that may be too lengthy or of too limited interest for inclusion in the article itself. Supplementary Material may include data tables or sets, appendixes, movie or audio clips, or other multimedia files.

U.S. Government employees: Authors working at Government organizations who author works as part of their official duties and who are not able to license rights to the Work, since no copyright exists. Government works are in the public domain within the United States.

Version of Record (VOR): The final published version of the article as it appears in the printed journal/proceedings or on the Scitation website. It incorporates all editorial input, is formatted in the publisher's standard style, and is usually viewed in PDF form.

Waiver: A request made to a university or institution to exempt an article from its open-access policy requirements. For example, a conflict will exist with any policy that requires the author to grant a nonexclusive license to the university or institution that enables it to license the Work to others. In all such cases, the Author must obtain a waiver, which shall be included in the manuscript file.

Work: The "Work" is considered all the material that comprises the article, including but not limited to the abstract, tables, figures, images, multimedia files that are directly embedded within the text, and the text itself. The Work does not include the Supplementary Material (see Supplementary Material above).

Work Made for Hire: Under copyright law, a work prepared by an employee within the scope of employment, or a work that has been specially ordered or commissioned for which the parties have agreed in writing to consider as a Work Made for Hire. The hiring party or employer is considered the author and owner of the copyright, not the person who creates the work.